



BUILDING & CONSTRUCTION

DIE No: 86017




Wt. Range : 0.970-1.100

DIE No: 86019



Wt. Range : 1.840-2.000


DIE No: 86032



Wt. Range : 2.350-2.730


FACADE CURTAIN WALL SECTION

DIE No: 86018




Wt. Range : 3.350-3.620

DIE No: 86020



Wt. Range : 3.470-3.750


DIE No: 88205



Wt. Range : 2.620-2.830


BUILDING & CONSTRUCTION

DIE No: 88206




Wt. Range : 2.230-2.410

DIE No: 96502



Wt. Range : -1.610


DIE No: 96513



Wt. Range : -0.320


FACADE CURTAIN WALL SECTION

DIE No: 88208




Wt. Range : 1.850-2.000

DIE No: 96506



Wt. Range : -0.700

DIE No: 96515




Wt. Range : -1.920

BUILDING & CONSTRUCTION

DIE No: 96518

DIE NO. : 96518




Wt. : 0.790 Kg/M

GALCO GROUP

Wt. Range : -0.790

DIE No: 96528

DIE NO. : 96528




Wt. : 0.330 Kg/M

GALCO GROUP

Wt. Range : -0.330

DIE No: 96556

DIE NO. : 96556



Wt. : 1.200 Kg/M


GALCO GROUP

Wt. Range : -1.200

FACADE CURTAIN WALL SECTION

DIE No: 96527

DIE NO. : 96527




Wt. : 0.440 Kg/M

GALCO GROUP

Wt. Range : -0.440

DIE No: 96532

DIE NO. : 96532




Wt. : 1.300 Kg/M

GALCO GROUP

Wt. Range : -1.480

DIE No: 96557

DIE NO. : 96557



Wt. : 1.700 Kg/M


GALCO GROUP

Wt. Range : -1.700

BUILDING & CONSTRUCTION

DIE No: 96558

DIE NO. : 96558




Wt. : 0.380 Kg/M

GALCO GROUP

Wt. Range : -0.380

DIE No: 96560

DIE NO. : 96560




Wt. : 0.940 Kg/M

GALCO GROUP

Wt. Range : -0.940

DIE No: 96562

DIE NO. : 96562



Wt. : 2.340 Kg/M


GALCO GROUP

Wt. Range : -2.340

FACADE CURTAIN WALL SECTION

DIE No: 96559

DIE NO. : 96559




Wt. : 1.110 Kg/M

GALCO GROUP

Wt. Range : -1.110

DIE No: 96561

DIE NO. : 96561




Wt. : 1.660 Kg/M

GALCO GROUP

Wt. Range : -1.660

DIE No: 96563

DIE NO. : 96563




Wt. : 0.520 Kg/M

GALCO GROUP

Wt. Range : -0.520


BUILDING & CONSTRUCTION

DIE No: 96564




Wt. Range : -1.280

DIE No: 96567



Wt. Range : -1.860


DIE No: 96569



Wt. Range : -4.150


FACADE CURTAIN WALL SECTION

DIE No: 96565




Wt. Range : -1.860

DIE No: 96568



Wt. Range : -5.380

DIE No: 96572




Wt. Range : -0.500

BUILDING & CONSTRUCTION

DIE No: 96573

DIE NO. : 96573




Wt. : 0.430 Kg/M

GALCO GROUP

Wt. Range : -0.430

DIE No: 96575

DIE NO. : 96575




Wt. : 0.370 Kg/M

GALCO GROUP

Wt. Range : -0.370

DIE No: 96578

DIE NO. : 96578



Wt. : 1.260 Kg/M


GALCO GROUP

Wt. Range : -1.260

FACADE CURTAIN WALL SECTION

DIE No: 96574

DIE NO. : 96574




Wt. : 0.650 Kg/M

GALCO GROUP

Wt. Range : -0.650

DIE No: 96577

DIE NO. : 96577




Wt. : 1.840 Kg/M

GALCO GROUP

Wt. Range : -1.840

DIE No: 96579

DIE NO. : 96579



Wt. : 1.620 Kg/M


GALCO GROUP

Wt. Range : -1.620

BUILDING & CONSTRUCTION

DIE No: 96580

DIE NO. : 96580




Wt. : 1.440 Kg/M

GALCO GROUP

Wt. Range : -1.440

DIE No: 96582

DIE NO. : 96582




Wt. : 1.080 Kg/M

GALCO GROUP

Wt. Range : -1.080

DIE No: 96585

DIE NO. : 96585



Wt. : 3.620 Kg/M


GALCO GROUP

Wt. Range : -3.620

FACADE CURTAIN WALL SECTION

DIE No: 96581

DIE NO. : 96581




Wt. : 0.270 Kg/M

GALCO GROUP

Wt. Range : -0.270

DIE No: 96584

DIE NO. : 96584




Wt. : 2.450 Kg/M

GALCO GROUP

Wt. Range : -2.450

DIE No: 96588

DIE NO. : 96588



Wt. : 3.340 Kg/M


GALCO GROUP

Wt. Range : -3.340

BUILDING & CONSTRUCTION

DIE No: 96591

DIE NO. : 96591




Wt. : 02.210 Kg/M

GALCO GROUP

Wt. Range : -2.210

DIE No: 96593

DIE NO. : 96593




Wt. : 04.100 Kg/M

GALCO GROUP

Wt. Range : -4.100

DIE No: 96596

DIE NO. : 96596



Wt. : 2.960 Kg/M


GALCO GROUP

Wt. Range : -2.960

FACADE CURTAIN WALL SECTION

DIE No: 96592

DIE NO. : 96592




Wt. : 01.520 Kg/M

GALCO GROUP

Wt. Range : -1.520

DIE No: 96594

DIE NO. : 96594




Wt. : 00.990 Kg/M

GALCO GROUP

Wt. Range : -0.990

DIE No: 96617

DIE NO. : 96617



Wt. : 2.830 Kg/M


GALCO GROUP

Wt. Range : 2.720-3.060

BUILDING & CONSTRUCTION

DIE No: 96618

DIE NO. : 96618




Wt. : 1.610 Kg/M

GALCO GROUP

Wt. Range : 1.540-1.740

DIE No: 96620

DIE NO. : 96620




Wt. : 0.340 Kg/M

GALCO GROUP

Wt. Range : 0.320-0.360

DIE No: 96622

DIE NO. : 96622



Wt. : 0.300 Kg/M


GALCO GROUP

Wt. Range : 0.290-0.330

FACADE CURTAIN WALL SECTION

DIE No: 96619

DIE NO. : 96619




Wt. : 1.050 Kg/M

GALCO GROUP

Wt. Range : 1.010-1.130

DIE No: 96621

DIE NO. : 96621




Wt. : 0.200 Kg/M

GALCO GROUP

Wt. Range : 0.180-0.220

DIE No: 96623

DIE NO. : 96623



Wt. : 3.030 Kg/M


GALCO GROUP

Wt. Range : 2.910-3.280

BUILDING & CONSTRUCTION

DIE No: 96624

DIE NO. : 96624




Wt. : 0.240 Kg/M

GALCO GROUP

Wt. Range : 0.230-0.260

DIE No: 96626

DIE NO. : 96626




Wt. : 0.460 Kg/M

GALCO GROUP

Wt. Range : 0.440-0.500

DIE No: 96630

DIE NO. : 96630



Wt. : 2.800 Kg/M


GALCO GROUP

Wt. Range : 2.690-3.020

FACADE CURTAIN WALL SECTION

DIE No: 96625

DIE NO. : 96625




Wt. : 0.270 Kg/M

GALCO GROUP

Wt. Range : 0.260-0.300

DIE No: 96629

DIE NO. : 96629




Wt. : 1.250 Kg/M

GALCO GROUP

Wt. Range : 1.200-1.350

DIE No: 96631

DIE NO. : 96631



Wt. : 1.050 Kg/M


GALCO GROUP

Wt. Range : 1.010-1.130

BUILDING & CONSTRUCTION

FACADE SECTION

DIE No: 86031




Wt. Range : 0.420-0.490

BUILDING & CONSTRUCTION

FORMWORK 03

DIE No: 95874




Wt. Range : 3.940-4.430

BUILDING & CONSTRUCTION

DIE No: 95811

DIE.NO.95811



Wt 2.520 KG/M


GALCO

Wt. Range : 2.420-2.720

FORMWORK 04

DIE No: 95812

DIE.NO.95812



Wt 2.790 KG/M


GALCO

Wt. Range : 2.680-3.010

BUILDING & CONSTRUCTION

DIE No: 95739

DIE.NO.95739




Wt 3.600 KG/M

GALCO

Wt. Range : 3.460-3.890

DIE No: 95797

DIE.NO.95797



Wt 4.410 KG/M


GALCO

Wt. Range : 4.230-4.770

FORMWORK 05

DIE No: 95742

DIE.NO.95742



Wt 3.870 KG/M


GALCO

Wt. Range : 3.710-4.180

BUILDING & CONSTRUCTION

DIE No: 95942

DIE.NO.95942




Wt 2.930 KG/M

GALCO

Wt. Range : 2.810-3.165

DIE No: 95944

DIE.NO.95944



Wt 3.450 KG/M


GALCO

Wt. Range : 3.300-3.720

FORMWORK 06

DIE No: 95943

DIE.NO.95943




Wt 3.190 KG/M

GALCO

Wt. Range : 3.060-3.450

DIE No: 95945

DIE.NO.95945



Wt 3.700 KG/M

GALCO


Wt. Range : 3.550-4.000

BUILDING & CONSTRUCTION

FORMWORK 07

DIE No: 95741

DIE.NO.95741



Wt 3.330 KG/M


GALCO

Wt. Range : 3.200-3.600

BUILDING & CONSTRUCTION

DIE No: 95844

DIE.NO.95844




Wt 2.830 KG/M

GALCO

Wt. Range : 2.550-3.100

DIE No: 95846

DIE.NO.95846



Wt 3.300 KG/M


GALCO

Wt. Range : 3.000-3.600

FORMWORK 08

DIE No: 95845

DIE.NO.95845



Wt 3.060 KG/M


GALCO

Wt. Range : 2.750-3.350

BUILDING & CONSTRUCTION

FORMWORK 09

DIE No: 95920




Wt. Range : 2.860-3.220

BUILDING & CONSTRUCTION

DIE No: 95146

DIE.NO.95146




Wt 2.920 KG/M

GALCO

Wt. Range : 2.800-3.155

DIE No: 95148

DIE.NO.95148



Wt 3.400 KG/M


GALCO

Wt. Range : 3.260-3.670

FORMWORK 11

DIE No: 95147

DIE.NO.95147




Wt 3.160 KG/M

GALCO

Wt. Range : 3.035-3.415

DIE No: 95149

DIE.NO.95149



Wt 3.965 KG/M


GALCO

Wt. Range : 3.800-4.280

BUILDING & CONSTRUCTION

FORMWORK 12

DIE No: 95743




Wt. Range : 3.990-4.490

BUILDING & CONSTRUCTION

DIE No: 95765

DIE.NO.95765



Wt 2.470 KG/M


GALCO

Wt. Range : 2.250-2.600

FORMWORK 13

DIE No: 95766

DIE.NO.95766



Wt 2.850 KG/M

GALCO


Wt. Range : 2.600-3.000

BUILDING & CONSTRUCTION

FORMWORK 14

DIE No: 95764

DIE.NO.95764



Wt 2.170 KG/M

GALCO


Wt. Range : 2.050-2.350

BUILDING & CONSTRUCTION

FORMWORK 15

DIE No: 95763

DIE.NO.95763



Wt 1.782 KG/M


GALCO

Wt. Range : 1.650-1.900

BUILDING & CONSTRUCTION

FORMWORK 16

DIE No: 95736




Wt. Range : 1.630-1.840

BUILDING & CONSTRUCTION

FORMWORK 17

DIE No: 95828

DIE.NO.95828



Wt 1.450 KG/M


GALCO

Wt. Range : 1.280-1.480

BUILDING & CONSTRUCTION

FORMWORK 18

DIE No: 95972




Wt. Range : 1.520-1.750

BUILDING & CONSTRUCTION

DIE No: 95731

DIE.NO.95731




Wt 1.360 KG/M

GALCO

Wt. Range : 1.250-1.400

DIE No: 95974

DIE.NO.95974



Wt 1.480 KG/M


GALCO

Wt. Range : 1.350-1.560

FORMWORK 19

DIE No: 95794

DIE NO. : 95794



Wt. : 2.150 Kg/M

GALCO GROUP


Wt. Range : 2.060-3.320

BUILDING & CONSTRUCTION

FORMWORK 20

DIE No: 95969

DIE.NO.95969



Wt 1.260 KG/M

GALCO


Wt. Range : 1.250-1.400

BUILDING & CONSTRUCTION

FORMWORK 21

DIE No: 95782

DIE.NO.95782



Wt 2.330KG/M


GALCO

Wt. Range : 2.150-2.500

BUILDING & CONSTRUCTION

FORMWORK 22


DIE No: 95771



Wt. Range : 1.670-1.940


BUILDING & CONSTRUCTION

DIE No: 95708




Wt. Range : 4.200-4.500

DIE No: 95960



Wt. Range : 3.100-3.680


DIE No: 95962



Wt. Range : 3.200-3.740


G CHANNEL 01

DIE No: 95958




Wt. Range : 3.850-4.470

DIE No: 95961



Wt. Range : 3.150-3.680


DIE No: 95963



Wt. Range : 3.250-3.790

BUILDING & CONSTRUCTION


DIE No: 95964



Wt. Range : 3.300-3.850

G CHANNEL 01

DIE No: 95970




Wt. Range : -3.720

BUILDING & CONSTRUCTION

DIE No: 95704

DIE.NO. 95704




GALCO

Wt 4.110 KG/M

Wt. Range : 4.070-4.400

DIE No: 95706

DIE NO. : 95706




Wt. : 4.380 Kg/M

GALCO GROUP

Wt. Range : 4.200-4.540

DIE No: 95805

DIE.NO. 95805




Wt 4.300 KG/M

Wt. Range : 4.130-4.640

G CHANNEL 02

DIE No: 95705

DIE.NO. 95705




GALCO

Wt 4.180 KG/M

Wt. Range : 4.500-4.450

DIE No: 95707

DIE.NO. 95707



GALCO


Wt 4.315 KG/M

Wt. Range : 4.200-4.550

BUILDING & CONSTRUCTION

DIE No: 95721

DIE NO. : 95721




Wt. : 5.310 Kg/M

GALCO GROUP

Wt. Range : 5.100-5.730

DIE No: 95723

DIE NO. : 95723




Wt. : 5.520 Kg/M

GALCO GROUP

Wt. Range : 5.290-5.960

DIE No: 95749

DIE NO. : 95749



Wt. : 5.560 Kg/M


GALCO GROUP

Wt. Range : 5.340-6.000

G CHANNEL 03

DIE No: 95722

DIE NO. : 95722




Wt. : 5.420 Kg/M

GALCO GROUP

Wt. Range : 5.200-5.850

DIE No: 95724

DIE NO. : 95724




Wt. : 6.070 Kg/M

GALCO GROUP

Wt. Range : 5.820-6.540

BUILDING & CONSTRUCTION


DIE No: 95732



Wt. Range : 5.020-5.430

G CHANNEL 04


DIE No: 95775



Wt. Range : 6.280-7.060

BUILDING & CONSTRUCTION


DIE No: 95822



Wt. Range : 4.300-4.850

G CHANNEL 05

DIE No: 95823




Wt. Range : 4.200-4.750

BUILDING & CONSTRUCTION

G CHANNEL 06

DIE No: 95968




Wt. Range : 3.850-4.500

BUILDING & CONSTRUCTION

G CHANNEL 07

DIE No: 95967




Wt. Range : 4.030-4.700

BUILDING & CONSTRUCTION

G CHANNEL 08

DIE No: 95791

DIE NO. : 95791



Wt. : 4.280 Kg/M


GALCO GROUP

Wt. Range : 3.930-4.560

BUILDING & CONSTRUCTION

G CHANNEL 09

DIE No: 95700




Wt. Range : 5.630-6.100

BUILDING & CONSTRUCTION

G CHANNEL 10

DIE No: 95713




Wt. Range : 5.750-6.000

BUILDING & CONSTRUCTION

G CHANNEL 11

DIE No: 95714




Wt. Range : 5.300-5.700

BUILDING & CONSTRUCTION

G CHANNEL 12

DIE No: 95815




Wt. Range : 5.360-6.040

BUILDING & CONSTRUCTION

G CHANNEL 13

DIE No: 88203




Wt. Range : 6.300-6.700

BUILDING & CONSTRUCTION

G CHANNEL 14


DIE No: 95826



Wt. Range : 3.780-4.310


BUILDING & CONSTRUCTION

DIE No: 10401




Wt. Range : 0.480-0.540

DIE No: 83009



Wt. Range : -0.040


DIE No: 92567



Wt. Range : 0.110-0.120


HARDWARE & SKIRTING

DIE No: 10402




Wt. Range : 0.320-0.360

DIE No: 92516



Wt. Range : 0.690-0.770


DIE No: 93141



Wt. Range : -0.450

BUILDING & CONSTRUCTION


DIE No: 97260



Wt. Range : -1.430

HARDWARE & SKIRTING

DIE No: 97261




Wt. Range : 1.240-1.450

BUILDING & CONSTRUCTION

DIE No: 93001

DIE NO. : 93001




Wt. : 1.040 Kg/M

GALCO GROUP

Wt. Range : -1.040

DIE No: 93007

DIE NO. : 93007




Wt. : 0.830 Kg/M

GALCO GROUP

Wt. Range : -0.830

DIE No: 93116

DIE NO. : 93116



Wt. : 0.520 Kg/M


GALCO GROUP

Wt. Range : -0.520

MODULAR FURNITURE

DIE No: 93006

DIE NO. : 93006




Wt. : 1.370 Kg/M

GALCO GROUP

Wt. Range : -1.370

DIE No: 93058

DIE NO. : 93058




Wt. : 1.000 Kg/M

GALCO GROUP

Wt. Range : -1.000

DIE No: 93119

DIE NO. : 93119



Wt. : 0.350 Kg/M


GALCO GROUP

Wt. Range : -0.350

BUILDING & CONSTRUCTION

DIE No: 93132

DIE NO. : 93132




Wt. : 0.390 Kg/M

GALCO GROUP

Wt. Range : -0.390

DIE No: 93136

DIE NO. : 93136




Wt. : 0.670 Kg/M

GALCO GROUP

Wt. Range : -0.670

DIE No: 93138

DIE NO. : 93138



Wt. : 0.620 Kg/M


GALCO GROUP

Wt. Range : -0.620

MODULAR FURNITURE

DIE No: 93135

DIE NO. : 93135




Wt. : 0.830 Kg/M

GALCO GROUP

Wt. Range : -0.830

DIE No: 93137

DIE NO. : 93137




Wt. : 0.870 Kg/M

GALCO GROUP

Wt. Range : -0.870

DIE No: 93139

DIE NO. : 93139



Wt. : 0.680 Kg/M


GALCO GROUP

Wt. Range : -0.680

BUILDING & CONSTRUCTION

DIE No: 93140

DIE NO. : 93140




Wt. : 0.640 Kg/M

GALCO GROUP

Wt. Range : -0.640

DIE No: 93149

DIE NO. : 93149




Wt. : 0.490 Kg/M

GALCO GROUP

Wt. Range : -0.490

DIE No: 93152

DIE NO. : 93152



Wt. : 0.160 Kg/M


GALCO GROUP

Wt. Range : -0.160

MODULAR FURNITURE

DIE No: 93145

DIE NO. : 93145




Wt. : 1.480 Kg/M

GALCO GROUP

Wt. Range : -1.480

DIE No: 93151

DIE NO. : 93151




Wt. : 0.450 Kg/M

GALCO GROUP

Wt. Range : -0.450

DIE No: 93153

DIE NO. : 93153



Wt. : 0.190 Kg/M


GALCO GROUP

Wt. Range : -0.190

BUILDING & CONSTRUCTION

DIE No: 93172

DIE NO. : 93172




Wt. : 1.390 Kg/M

GALCO GROUP

Wt. Range : -1.390

DIE No: 93174

DIE NO. : 93174




Wt. : 1.920 Kg/M

GALCO GROUP

Wt. Range : -1.920

DIE No: 93189

DIE NO. : 93189



Wt. : 1.620 Kg/M


GALCO GROUP

Wt. Range : -1.620

MODULAR FURNITURE

DIE No: 93173

DIE NO. : 93173




Wt. : 1.440 Kg/M

GALCO GROUP

Wt. Range : -1.440

DIE No: 93179

DIE NO. : 93179




Wt. : 0.230 Kg/M

GALCO GROUP

Wt. Range : -0.230

DIE No: 93190

DIE NO. : 93190



Wt. : 0.720 Kg/M


GALCO GROUP

Wt. Range : -0.720

BUILDING & CONSTRUCTION

DIE No: 93191

DIE NO. : 93191




Wt. : 1.350 Kg/M

GALCO GROUP

Wt. Range : -1.350

DIE No: 93198

DIE NO. : 93198



Wt. : 3.310 Kg/M


GALCO GROUP

Wt. Range : 3.050-3.530

DIE No: 93257

DIE.NO. 93257

GALCO




Wt 0.430 KG/M

Wt. Range : 0.360-0.430

MODULAR FURNITURE

DIE No: 93193

DIE NO. : 93193




Wt. : 1.930 Kg/M

GALCO GROUP

Wt. Range : 1.770-2.060

DIE No: 93256




Wt 0.820kg

Wt. Range : 0.780-0.820

DIE No: 93258

DIE.NO. 93258

GALCO




Wt 0.930KG/M

Wt. Range : 0.890-0.930


BUILDING & CONSTRUCTION

DIE No: 93259




Wt. Range : 0.600-0.700

DIE No: 93261



Wt. Range : 0.965-1.080


DIE No: 93263



Wt. Range : 0.325-0.390


MODULAR FURNITURE

DIE No: 93260




Wt. Range : 0.285-0.330

DIE No: 93262



Wt. Range : 0.430-0.520


DIE No: 93264



Wt. Range : 0.950-1.070


BUILDING & CONSTRUCTION

DIE No: 93265




Wt. Range : 0.730-0.830

DIE No: 93267



Wt. Range : 0.520-0.610


DIE No: 93269



Wt. Range : 1.050-1.160


MODULAR FURNITURE

DIE No: 93266




Wt. Range : 0.700-0.775

DIE No: 93268



Wt. Range : 1.360-1.530


DIE No: 93271



Wt. Range : 1.815-1.845


BUILDING & CONSTRUCTION

DIE No: 93272




Wt. Range : 2.630-2.840

DIE No: 93274



Wt. Range : 1.950-2.120


DIE No: 93276



Wt. Range : -


MODULAR FURNITURE

DIE No: 93273




Wt. Range : 2.165-2.300

DIE No: 93275



Wt. Range : 1.140-1.270

DIE No: 93278




Wt. Range : 1.076-1.200

BUILDING & CONSTRUCTION

DIE No: 93279


PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT



PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT


Wt. Range : 3.000-3.100

DIE No: 93281



Wt. Range : 1.310-1.475


DIE No: 93283



Wt. Range : 1.235-1.390


MODULAR FURNITURE

DIE No: 93280




Wt. Range : 1.230-1.380

DIE No: 93282



Wt. Range : 1.850-2.000


DIE No: 93284



Wt. Range : 1.000-1.170


BUILDING & CONSTRUCTION

DIE No: 93285




Wt. Range : 2.530-2.740

DIE No: 93287



Wt. Range : 1.960-2.120


DIE No: 93289



Wt. Range : 0.800-0.900


MODULAR FURNITURE

DIE No: 93286




Wt. Range : 2.200-2.365

DIE No: 93288



Wt. Range : 1.425-1.600


DIE No: 93290



Wt. Range : 3.000-3.250


BUILDING & CONSTRUCTION

DIE No: 93291



Wt. Range : 3.000-3.270


DIE No: 93294



Wt. Range : 0.750-0.850


MODULAR FURNITURE

DIE No: 93292



Wt. Range : 2.680-2.900

DIE No: 94968




Wt. Range : -2.520

BUILDING & CONSTRUCTION

DIE No: --


SCAF FOLDING & FORMWORK

DIE No: 88204




Wt. Range : -0.000

DIE No: 88207




Wt. Range : 2.780-3.000

DIE No: 91543




Wt. Range : 1.875-2.065

DIE No: 95126



Wt. Range : 1.500-1.550

DIE No: 95145




Wt. Range : 3.530-3.970

Wt. Range : 0.245-0.275


BUILDING & CONSTRUCTION

DIE No: 95709




Wt. Range : 2.610-2.940

DIE No: 95711



Wt. Range : 3.215-3.620


DIE No: 95716



Wt. Range : 2.770-3.120


SCAF FOLDING & FORMWORK

DIE No: 95710




Wt. Range : 1.080-1.220

DIE No: 95715



Wt. Range : 1.190-1.280

DIE No: 95717




Wt. Range : 3.030-#####

BUILDING & CONSTRUCTION

DIE No: 95718

DIE NO. : 95718




Wt. : 3.430 Kg/M

GALCO GROUP

Wt. Range : 3.290-3.700

DIE No: 95725

DIE NO. : 95725




Wt. : 1.710 Kg/M

GALCO GROUP

Wt. Range : 1.640-1.850

DIE No: 95728

DIE NO. : 95728



Wt. : 6.260 Kg/M


GALCO GROUP

Wt. Range : 6.000-6.760

SCAF FOLDING & FORMWORK

DIE No: 95719

DIE NO. : 95719




Wt. : 3.700 Kg/M

GALCO GROUP

Wt. Range : 3.550-4.000

DIE No: 95726

DIE NO. : 95726




Wt. : 2.200 Kg/M

GALCO GROUP

Wt. Range : 2.110-2.380

DIE No: 95729

DIE NO. : 95729



Wt. : 1.150 Kg/M


GALCO GROUP

Wt. Range : 1.100-1.240

BUILDING & CONSTRUCTION

DIE No: 95730

DIE NO. : 95730




Wt. : 1.110 Kg/M

GALCO GROUP

Wt. Range : 1.060-1.200

DIE No: 95737

DIE NO. : 95737




Wt. : 0.650 Kg/M

GALCO GROUP

Wt. Range : 0.620-0.700

DIE No: 95745

DIE NO. : 95745



Wt. : 3.290 Kg/M


GALCO GROUP

Wt. Range : 3.180-3.570

SCAF FOLDING & FORMWORK

DIE No: 95733

DIE NO. : 95733




Wt. : 1.850 Kg/M

GALCO GROUP

Wt. Range : 1.780-1.990

DIE No: 95744

DIE NO. : 95744




Wt. : 2.500 Kg/M

GALCO GROUP

Wt. Range : 2.400-2.700

DIE No: 95746

DIE NO. : 95746



Wt. : 6.430 Kg/M


GALCO GROUP

Wt. Range : 6.170-6.940

BUILDING & CONSTRUCTION

DIE No: 95747

DIE NO. : 95747



Wt. : 2.300 Kg/M

GALCO GROUP

Wt. Range : 2.200-2.480

DIE No: 95752

DIE NO. : 95752




Wt. : 3.350 Kg/M

GALCO GROUP

Wt. Range : 3.210-

DIE No: 95755

DIE NO. : 95755



Wt. : 3.540 Kg/M


GALCO GROUP

Wt. Range : 3.400-3.830

SCAF FOLDING & FORMWORK

DIE No: 95751

DIE NO. : 95751




Wt. : 2.960 Kg/M

GALCO GROUP

Wt. Range : 2.840-3.200

DIE No: 95754

DIE NO. : 95754




Wt. : 3.160 Kg/M

GALCO GROUP

Wt. Range : 3.030-3.410

DIE No: 95756

DIE NO. : 95756



Wt. : 6.260 Kg/M


GALCO GROUP

Wt. Range : 6.000-

BUILDING & CONSTRUCTION

DIE No: 95757

DIE NO. : 95757




Wt. : 6.750 Kg/M

GALCO GROUP

Wt. Range : 6.480-7.290

DIE No: 95759

DIE NO. : 95759




Wt. : 3.820 Kg/M

GALCO GROUP

Wt. Range : 3.670-4.130

DIE No: 95762

DIE NO. : 95762



Wt. : 0.280 Kg/M


GALCO GROUP

Wt. Range : 0.260-0.300

SCAF FOLDING & FORMWORK

DIE No: 95758

DIE NO. : 95758




Wt. : 3.050 Kg/M

GALCO GROUP

Wt. Range : 2.930-3.300

DIE No: 95760

DIE NO. : 95760




Wt. : 2.400 Kg/M

GALCO GROUP

Wt. Range : 2.300-2.590

DIE No: 95767

DIE NO. : 95767



Wt. : 0.600 Kg/M


GALCO GROUP

Wt. Range : 0.550-0.640

BUILDING & CONSTRUCTION

DIE No: 95770

DIE NO. : 95770




Wt. : 1.630 Kg/M

GALCO GROUP

Wt. Range : 1.500-1.740

DIE No: 95774

DIE NO. : 95774




Wt. : 1.100 Kg/M

GALCO GROUP

Wt. Range : 1.020-1.200

DIE No: 95781

DIE NO. : 95781



Wt. : 2.170 Kg/M


GALCO GROUP

Wt. Range : 2.000-2.300

SCAF FOLDING & FORMWORK

DIE No: 95773

DIE NO. : 95773




Wt. : 1.150 Kg/M

GALCO GROUP

Wt. Range : 1.090-1.260

DIE No: 95780

DIE NO. : 95780




Wt. : 1.290 Kg/M

GALCO GROUP

Wt. Range : 1.190-1.380

DIE No: 95792

DIE NO. : 95792



Wt. : 0.200 Kg/M


GALCO GROUP

Wt. Range : 0.180-0.210

BUILDING & CONSTRUCTION

DIE No: 95793

DIE NO. : 95793



Wt. : 1.190 Kg/M

GALCO GROUP

Wt. Range : 1.170-1.360

DIE No: 95796

DIE NO. : 95796




Wt. : 4.600 Kg/M

GALCO GROUP

Wt. Range : 4.230-4.910

DIE No: 95804

DIE NO. : 95804



Wt. : 0.540 Kg/M


GALCO GROUP

Wt. Range : 0.510-0.580

SCAF FOLDING & FORMWORK

DIE No: 95795

DIE NO. : 95795




Wt. : 1.530 Kg/M

GALCO GROUP

Wt. Range : 1.410-1.630

DIE No: 95803

DIE NO. : 95803




Wt. : 0.330 Kg/M

GALCO GROUP

Wt. Range : 0.310-0.350

DIE No: 95816

DIE NO. : 95816




Wt. : 0.770 Kg/M

GALCO GROUP

Wt. Range : 0.740-0.830


BUILDING & CONSTRUCTION

DIE No: 95817




Wt. Range : 1.320-1.490

DIE No: 95819



Wt. Range : 1.280-1.450


DIE No: 95821



Wt. Range : 0.800-0.900


SCAF FOLDING & FORMWORK

DIE No: 95818




Wt. Range : 0.900-1.010

DIE No: 95820



Wt. Range : 0.740-0.850

DIE No: 95825




Wt. Range : 0.800-0.950

BUILDING & CONSTRUCTION

DIE No: 95827

DIE NO. : 95827




Wt. : 1.060 Kg/M

GALCO GROUP

Wt. Range : 0.930-1.120

DIE No: 95843

DIE NO. : 95843




Wt. : 0.920 Kg/M

GALCO GROUP

Wt. Range : 0.830-0.950

DIE No: 95850

DIE NO. : 95850



Wt. : 1.080 Kg/M


GALCO GROUP

Wt. Range : 0.980-1.140

SCAF FOLDING & FORMWORK

DIE No: 95842

DIE NO. : 95842




Wt. : 0.720 Kg/M

GALCO GROUP

Wt. Range : 0.690-0.800

DIE No: 95848

DIE NO. : 95848




Wt. : 1.130 Kg/M

GALCO GROUP

Wt. Range : 1.090-1.230

DIE No: 95851

DIE NO. : 95851



Wt. : 1.030 Kg/M


GALCO GROUP

Wt. Range : 0.990-1.110

BUILDING & CONSTRUCTION

DIE No: 95855

DIE NO. : 95855




Wt. : 0.710 Kg/M

GALCO GROUP

Wt. Range : 0.680-0.770

DIE No: 95859

DIE NO. : 95859




Wt. : 2.960 Kg/M

GALCO GROUP

Wt. Range : 2.840-3.200

DIE No: 95861

DIE NO. : 95861



Wt. : 3.770 Kg/M


GALCO GROUP

Wt. Range : 3.620-4.070

SCAF FOLDING & FORMWORK

DIE No: 95856

DIE NO. : 95856




Wt. : 0.920 Kg/M

GALCO GROUP

Wt. Range : 0.830-0.950

DIE No: 95860

DIE NO. : 95860




Wt. : 3.360 Kg/M

GALCO GROUP

Wt. Range : 3.220-3.630

DIE No: 95870

DIE NO. : 95870




Wt. : 1.000 Kg/M

GALCO GROUP

Wt. Range : 0.960-1.080


BUILDING & CONSTRUCTION

DIE No: 95871




Wt. Range : 0.870-0.980

DIE No: 95875



Wt. Range : 3.440-3.870


DIE No: 95886



Wt. Range : 1.280-1.440


SCAF FOLDING & FORMWORK

DIE No: 95872




Wt. Range : 0.660-0.750

DIE No: 95876



Wt. Range : 1.190-1.340

DIE No: 95975




Wt. Range : 0.980-1.140

BUILDING & CONSTRUCTION

DIE No: 96644

DIE.NO. 96644




Wt 4.790 KG/M

GALCO

Wt. Range : 4.635-5.215 KG/MTR

DIE No: 96646

DIE.NO. 96646




Wt 4.840 KG/M

GALCO

Wt. Range : 4.645-5.230 KG/MTR

DIE No: 96648

DIE.NO. 96648



Wt 5.200 KG/M


GALCO

Wt. Range : 4.990-5.610 KG/MTR

SCAF FOLDING & FORMWORK

DIE No: 96645

DIE.NO. 96645




Wt 4.410 KG/M

GALCO

Wt. Range : 4.235-4.765 KG/MTR

DIE No: 96647

DIE.NO. 96647




Wt 4.840 KG/M

GALCO

Wt. Range : 4.850-5.460 KG/MTR

DIE No: 96649

DIE.NO. 96649



Wt 5.340 KG/M


GALCO

Wt. Range : 5.125-5.770 KG/MTR

BUILDING & CONSTRUCTION

DIE No: 96650

DIE.NO. 96650




Wt 5.550 KG/M

GALCO

Wt. Range : 5.330-6.000 KG/MTR

DIE No: 96652

DIE.NO. 96652




Wt 5.910 KG/M

GALCO

Wt. Range : 5.670-6.380 KG/MTR

DIE No: 96654

DIE.NO. 96654



Wt 6.265 KG/M


GALCO

Wt. Range : 6.010-6.670 KG/MTR

SCAF FOLDING & FORMWORK

DIE No: 96651

DIE.NO. 96651




Wt 5.840 KG/M

GALCO

Wt. Range : 5.600-6.300 KG/MTR

DIE No: 96653

DIE.NO. 96653




Wt 5.980 KG/M

GALCO

Wt. Range : 5.740-6.460 KG/MTR

DIE No: 96677




Wt. Range : -

BUILDING & CONSTRUCTION

SCAF FOLDING & FORMWORK


DIE No: 96678



Wt. Range : -

BUILDING & CONSTRUCTION


DIE No: 95712



Wt. Range : 4.450-5.150

SOLDIER 01

DIE No: 95966




Wt. Range : 4.450-5.150

BUILDING & CONSTRUCTION

SOLDIER 02

DIE No: 95701




Wt. Range : 7.060-7.940

BUILDING & CONSTRUCTION

SOLDIER 03

DIE No: 95877




Wt. Range : 5.370-6.040

BUILDING & CONSTRUCTION

SOLDIER 04


DIE No: 95849



Wt. Range : 4.680-5.450

BUILDING & CONSTRUCTION


DIE No: 95768



Wt. Range : 6.510-7.510

SOLDIER 05

DIE No: 95769




Wt. Range : 6.720-7.800

BUILDING & CONSTRUCTION

SOLDIER 06

DIE No: 88209




Wt. Range : 8.000-9.550

BUILDING & CONSTRUCTION

SOLDIER 07

DIE No: 95783




Wt. Range : 5.400-6.250

BUILDING & CONSTRUCTION

DIE No: 95702

DIE.NO.95702




Wt 3.920 KG/M

GALCO

Wt. Range : 3.755-4.060

DIE No: 95772

DIE.NO.95772




Wt 2.560 KG/M

GALCO

Wt. Range : 2.360-2.740

DIE No: 95787

DIE.NO.95787



Wt 3.050 KG/M


GALCO

Wt. Range : 2.800-3.250

U CHANNEL 01

DIE No: 95703

DIE.NO.95703




Wt 4.185 KG/M

GALCO

Wt. Range : 4.020-4.345

DIE No: 95786

DIE.NO.95786




Wt 2.940 KG/M

GALCO

Wt. Range : 2.710-3.140

DIE No: 95788

DIE.NO.95788




Wt 3.210 KG/M

GALCO

Wt. Range : 2.950-3.430


BUILDING & CONSTRUCTION

DIE No: 95789



Wt. Range : 3.200-3.720


DIE No: 95813



Wt. Range : 3.130-3.520

U CHANNEL 01


DIE No: 95790



Wt. Range : 3.300-3.830


BUILDING & CONSTRUCTION

DIE No: 95959



Wt. Range : 3.000-3.500


DIE No: 95971



Wt. Range : -2.860


U CHANNEL 02

DIE No: 95965



Wt. Range : 2.800-3.250

DIE No: 95973




Wt. Range : 2.360-2.650

BUILDING & CONSTRUCTION

DIE No: 95734

DIE.NO.95734




Wt 2.775 KG/M

GALCO

Wt. Range : 2.665-3.000

DIE No: 95738

DIE.NO.95738



Wt 3.045 KG/M


GALCO

Wt. Range : 2.920-3.290

U CHANNEL 03

DIE No: 95735

DIE.NO.95735



Wt 3.345 KG/M


GALCO

Wt. Range : 3.210-3.345

BUILDING & CONSTRUCTION

DIE No: 95776

DIE.NO.95776




Wt 2.560 KG/M

GALCO

Wt. Range : 2.350-2.730

DIE No: 95863

DIE.NO.95863




Wt 3.260 KG/M

Wt. Range : 3.130-3.520

U CHANNEL 04

DIE No: 95777

DIE.NO.95777



Wt 2.670 KG/M


GALCO

Wt. Range : 2.460-2.850

BUILDING & CONSTRUCTION

U CHANNEL 05

DIE No: 95824




Wt. Range : 2.500-3.000

BUILDING & CONSTRUCTION

U CHANNEL 06

DIE No: 95891




Wt. Range : 3.260-3.670

BUILDING & CONSTRUCTION

U CHANNEL 07

DIE No: 95867




Wt. Range : 4.370-4.910

BUILDING & CONSTRUCTION

U CHANNEL 08

DIE No: 95916




Wt. Range : 4.120-4.640

BUILDING & CONSTRUCTION

U CHANNEL 09

DIE No: 95862

DIE.NO. 95862



Wt 5.230 KG/M


GALCO

Wt. Range : 5.020-5.650

BUILDING & CONSTRUCTION

U CHANNEL 10

DIE No: 95829




Wt. Range : 3.800-4.220

BUILDING & CONSTRUCTION

U CHANNEL 11

DIE No: 95778




Wt. Range : 3.960-4.600

BUILDING & CONSTRUCTION

U CHANNEL 12

DIE No: 95727




Wt. Range : 3.560-4.000

BUILDING & CONSTRUCTION

U CHANNEL 13

DIE No: 95748




Wt. Range : 4.200-4.730

BUILDING & CONSTRUCTION

U CHANNEL 14

DIE No: 95720



Wt. Range : 5.450-6.130