



BUILDING & CONSTRUCTION

DIE No: 86017




Wt. Range : 0.970-1.100

DIE No: 86019



Wt. Range : 1.840-2.000


DIE No: 86032



Wt. Range : 2.350-2.730


FACADE CURTAIN WALL SECTION

DIE No: 86018




Wt. Range : 3.350-3.620

DIE No: 86020



Wt. Range : 3.470-3.750


DIE No: 88205



Wt. Range : 2.620-2.830


BUILDING & CONSTRUCTION

DIE No: 88206




Wt. Range : 2.230-2.410

DIE No: 96502



Wt. Range : -1.610


DIE No: 96513



Wt. Range : -0.320


FACADE CURTAIN WALL SECTION

DIE No: 88208




Wt. Range : 1.850-2.000

DIE No: 96506



Wt. Range : -0.700

DIE No: 96515




Wt. Range : -1.920

BUILDING & CONSTRUCTION

DIE No: 96518

DIE NO. : 96518




Wt. : 0.790 Kg/M

GALCO GROUP

Wt. Range : -0.790

DIE No: 96528

DIE NO. : 96528




Wt. : 0.330 Kg/M

GALCO GROUP

Wt. Range : -0.330

DIE No: 96556

DIE NO. : 96556



Wt. : 1.200 Kg/M


GALCO GROUP

Wt. Range : -1.200

FACADE CURTAIN WALL SECTION

DIE No: 96527

DIE NO. : 96527




Wt. : 0.440 Kg/M

GALCO GROUP

Wt. Range : -0.440

DIE No: 96532

DIE NO. : 96532




Wt. : 1.300 Kg/M

GALCO GROUP

Wt. Range : -1.480

DIE No: 96557

DIE NO. : 96557



Wt. : 1.700 Kg/M


GALCO GROUP

Wt. Range : -1.700

BUILDING & CONSTRUCTION

DIE No: 96558

DIE NO. : 96558




Wt. : 0.380 Kg/M

GALCO GROUP

Wt. Range : -0.380

DIE No: 96560

DIE NO. : 96560




Wt. : 0.940 Kg/M

GALCO GROUP

Wt. Range : -0.940

DIE No: 96562

DIE NO. : 96562



Wt. : 2.340 Kg/M


GALCO GROUP

Wt. Range : -2.340

FACADE CURTAIN WALL SECTION

DIE No: 96559

DIE NO. : 96559




Wt. : 1.110 Kg/M

GALCO GROUP

Wt. Range : -1.110

DIE No: 96561

DIE NO. : 96561




Wt. : 1.660 Kg/M

GALCO GROUP

Wt. Range : -1.660

DIE No: 96563

DIE NO. : 96563




Wt. : 0.520 Kg/M

GALCO GROUP

Wt. Range : -0.520


BUILDING & CONSTRUCTION

DIE No: 96564




Wt. Range : -1.280

DIE No: 96567



Wt. Range : -1.860


DIE No: 96569



Wt. Range : -4.150


FACADE CURTAIN WALL SECTION

DIE No: 96565




Wt. Range : -1.860

DIE No: 96568



Wt. Range : -5.380

DIE No: 96572




Wt. Range : -0.500

BUILDING & CONSTRUCTION

DIE No: 96573

DIE NO. : 96573




Wt. : 0.430 Kg/M

GALCO GROUP

Wt. Range : -0.430

DIE No: 96575

DIE NO. : 96575




Wt. : 0.370 Kg/M

GALCO GROUP

Wt. Range : -0.370

DIE No: 96578

DIE NO. : 96578



Wt. : 1.260 Kg/M


GALCO GROUP

Wt. Range : -1.260

FACADE CURTAIN WALL SECTION

DIE No: 96574

DIE NO. : 96574




Wt. : 0.650 Kg/M

GALCO GROUP

Wt. Range : -0.650

DIE No: 96577

DIE NO. : 96577




Wt. : 1.840 Kg/M

GALCO GROUP

Wt. Range : -1.840

DIE No: 96579

DIE NO. : 96579



Wt. : 1.620 Kg/M


GALCO GROUP

Wt. Range : -1.620

BUILDING & CONSTRUCTION

DIE No: 96580

DIE NO. : 96580




Wt. : 1.440 Kg/M

GALCO GROUP

Wt. Range : -1.440

DIE No: 96582

DIE NO. : 96582




Wt. : 1.080 Kg/M

GALCO GROUP

Wt. Range : -1.080

DIE No: 96585

DIE NO. : 96585



Wt. : 3.620 Kg/M


GALCO GROUP

Wt. Range : -3.620

FACADE CURTAIN WALL SECTION

DIE No: 96581

DIE NO. : 96581




Wt. : 0.270 Kg/M

GALCO GROUP

Wt. Range : -0.270

DIE No: 96584

DIE NO. : 96584




Wt. : 2.450 Kg/M

GALCO GROUP

Wt. Range : -2.450

DIE No: 96588

DIE NO. : 96588



Wt. : 3.340 Kg/M


GALCO GROUP

Wt. Range : -3.340

BUILDING & CONSTRUCTION

DIE No: 96591

DIE NO. : 96591




Wt. : 02.210 Kg/M

GALCO GROUP

Wt. Range : -2.210

DIE No: 96593

DIE NO. : 96593




Wt. : 04.100 Kg/M

GALCO GROUP

Wt. Range : -4.100

DIE No: 96596

DIE NO. : 96596



Wt. : 2.960 Kg/M


GALCO GROUP

Wt. Range : -2.960

FACADE CURTAIN WALL SECTION

DIE No: 96592

DIE NO. : 96592




Wt. : 01.520 Kg/M

GALCO GROUP

Wt. Range : -1.520

DIE No: 96594

DIE NO. : 96594




Wt. : 00.990 Kg/M

GALCO GROUP

Wt. Range : -0.990

DIE No: 96617

DIE NO. : 96617



Wt. : 2.830 Kg/M


GALCO GROUP

Wt. Range : 2.720-3.060

BUILDING & CONSTRUCTION

DIE No: 96618

DIE NO. : 96618




Wt. : 1.610 Kg/M

GALCO GROUP

Wt. Range : 1.540-1.740

DIE No: 96620

DIE NO. : 96620




Wt. : 0.340 Kg/M

GALCO GROUP

Wt. Range : 0.320-0.360

DIE No: 96622

DIE NO. : 96622



Wt. : 0.300 Kg/M


GALCO GROUP

Wt. Range : 0.290-0.330

FACADE CURTAIN WALL SECTION

DIE No: 96619

DIE NO. : 96619




Wt. : 1.050 Kg/M

GALCO GROUP

Wt. Range : 1.010-1.130

DIE No: 96621

DIE NO. : 96621




Wt. : 0.200 Kg/M

GALCO GROUP

Wt. Range : 0.180-0.220

DIE No: 96623

DIE NO. : 96623



Wt. : 3.030 Kg/M


GALCO GROUP

Wt. Range : 2.910-3.280

BUILDING & CONSTRUCTION

DIE No: 96624

DIE NO. : 96624




Wt. : 0.240 Kg/M

GALCO GROUP

Wt. Range : 0.230-0.260

DIE No: 96626

DIE NO. : 96626




Wt. : 0.460 Kg/M

GALCO GROUP

Wt. Range : 0.440-0.500

DIE No: 96630

DIE NO. : 96630



Wt. : 2.800 Kg/M


GALCO GROUP

Wt. Range : 2.690-3.020

FACADE CURTAIN WALL SECTION

DIE No: 96625

DIE NO. : 96625




Wt. : 0.270 Kg/M

GALCO GROUP

Wt. Range : 0.260-0.300

DIE No: 96629

DIE NO. : 96629




Wt. : 1.250 Kg/M

GALCO GROUP

Wt. Range : 1.200-1.350

DIE No: 96631

DIE NO. : 96631



Wt. : 1.050 Kg/M

GALCO GROUP

Wt. Range : 1.010-1.130