

BUILDING & CONSTRUCTION

SCAF FOLDING & FORMWORK

DIE NO.	A A	B B	WEIGHT / MTR	CCD
95875			3.440-3.870	
96644			4.635-5.215	
96645			4.235-4.765	
96646			4.645-5.230	
96647			4.850-5.460	
96648			4.990-5.610	
96649			5.125-5.770	
96650			5.330-6.000	
96651			5.600-6.300	
96652			5.670-6.380	
96653			5.740-6.460	
96654			6.010-6.670	
96677			-	
96678			-	
--	0	0	-0.000	
95861	0	0	3.620-4.070	
95767	0	0	0.550-0.640	
95850	0	0	0.980-1.140	
95730	0	0	1.060-1.200	
95819	0	0	1.280-1.450	
95848	0	0	1.090-1.230	
95859	0	0	2.840-3.200	
95871	0	0	0.870-0.980	
88204	0	0	2.780-3.000	
95856	0	0	0.830-0.950	
95804	0	0	0.510-0.580	
95726	0	0	2.110-2.380	

BUILDING & CONSTRUCTION

SCAF FOLDING & FORMWORK

DIE NO.	A A	B B	WEIGHT / MTR	CCD
95792	0	0	0.180-0.210	
95870	0	0	0.960-1.080	
95126	0	0	3.530-3.970	
95773	0	0	1.090-1.260	
95760	0	0	2.300-2.590	
95711	0	0	3.215-3.620	
95752	0	0	3.210-	
91543	0	0	1.500-1.550	
95774	0	0	1.020-1.200	
95718	0	0	3.290-3.700	
95733	0	0	1.780-1.990	
95746	0	0	6.170-6.940	
95820	0	0	0.740-0.850	
95770	0	0	1.500-1.740	
95975	0	0	0.980-1.140	
95803	0	0	0.310-0.350	
88207	0	0	1.875-2.065	
95737	0	0	0.620-0.700	
95827	0	0	0.930-1.120	
95747	0	0	2.200-2.480	
95754	0	0	3.030-3.410	
95816	0	0	0.740-0.830	
95719	0	0	3.550-4.000	
95793	0	0	1.170-1.360	ALLOY CHANGED AS P
95758	0	0	2.930-3.300	
95855	0	0	0.680-0.770	
95755	0	0	3.400-3.830	
95759	0	0	3.670-4.130	
95725	0	0	1.640-1.850	
95795	0	0	1.410-1.630	
95145	0	0	0.245-0.275	
95745	0	0	3.180-3.570	
95821	0	0	0.800-0.900	
95843	0	0	0.830-0.950	
95715	0	0	1.190-1.280	
95710	0	0	1.080-1.220	
95728	0	0	6.000-6.760	
95876	0	0	1.190-1.340	

BUILDING & CONSTRUCTION

SCAF FOLDING & FORMWORK

DIE NO.	A A	B B	WEIGHT / MTR	CCD
95842	0	0	0.690-0.800	
95757	0	0	6.480-7.290	
95851	0	0	0.990-1.110	
95825	0	0	0.800-0.950	
95717	0	0	3.030-#####	
95729	0	0	1.100-1.240	
95818	0	0	0.900-1.010	
95817	0	0	1.320-1.490	
95872	0	0	0.660-0.750	
95756	0	0	6.000-	
95762	0	0	0.260-0.300	
95751	0	0	2.840-3.200	
95780	0	0	1.190-1.380	
95781	0	0	2.000-2.300	
95709	0	0	2.610-2.940	
95744	0	0	2.400-2.700	
95716	0	0	2.770-3.120	
95860	0	0	3.220-3.630	
95886	0	0	1.280-1.440	
95796	0	0	4.230-4.910	
85				