


ELECTRICAL & ELECTRONICS

DIE No: 99721

DIE NO. : 99721




Wt. : 0.110 Kg/M

GALCO GROUP

Wt. Range : 0.090-0.115

DIE No: 99753

DIE NO. : 99753




Wt. : 1.830 Kg/M

GALCO GROUP

Wt. Range : 1.750-1.900

DIE No: 99759

DIE NO. : 99759



Wt. : 2.840 Kg/M


GALCO GROUP

Wt. Range : 2.740-2.960

ELECTRICAL

DIE No: 99735

DIE NO. : 99735




Wt. : 2.090 Kg/M

GALCO GROUP

Wt. Range : 2.000-2.150

DIE No: 99754

DIE NO. : 99754




Wt. : 2.390 Kg/M

GALCO GROUP

Wt. Range : 2.300-2.480

DIE No: 99780

DIE NO. : 99780




Wt. : 0.500 Kg/M

GALCO GROUP

Wt. Range : 0.500-0.600


ELECTRICAL & ELECTRONICS

DIE No: 99781




Wt. Range : 2.100-2.200

DIE No: 99783



Wt. Range : 3.045-3.115


DIE No: 99785



Wt. Range : 0.270-0.320


ELECTRICAL

DIE No: 99782




Wt. Range : 1.890-1.950

DIE No: 99784



Wt. Range : 0.850-0.900

DIE No: 99800




Wt. Range : -1.740

ELECTRICAL & ELECTRONICS

DIE No: 99801

DIE NO. : 99801




Wt. : 2.750 Kg/M

GALCO GROUP

Wt. Range : 2.650-3.000

DIE No: 99832

DIE NO. : 99832



Wt. : 0.600 Kg/M


GALCO GROUP

Wt. Range : 0.580-0.650

ELECTRICAL

DIE No: 99828

DIE NO. : 99828



Wt. : 0.500 Kg/M


GALCO GROUP

Wt. Range : 0.465-0.545

ELECTRICAL & ELECTRONICS

DIE No: 99502

DIE.NO.99502




Wt 3.010 KG/M

GALCO

Wt. Range : 2.890-3.250

DIE No: 99923

DIE NO. : 99923



Wt. : 1.040 Kg/M


GALCO GROUP

Wt. Range : 1.000-1.120

DIE No: 99941

DIE.NO. 99941

GALCO




Wt 0.800 KG/M

Wt. Range : 0.690-0.800

ELECTRICAL 1

DIE No: 99920

DIE NO. : 99920



Wt. : 2.140 Kg/M


GALCO GROUP

Wt. Range : 2.100-2.350

DIE No: 99935

DIE.NO. 99935

GALCO




Wt 0.310 KG/M

Wt. Range : 0.260-0.310

DIE No: 99942

DIE.NO. 99942

GALCO




Wt. 440 KG/M

Wt. Range : 0.360-0.440


ELECTRICAL & ELECTRONICS

DIE No: 99943




Wt. Range : 2.750-2.970

DIE No: 99947



Wt. Range : 0.340-0.410


DIE No: 99949



Wt. Range : 0.430-0.520


ELECTRICAL 1

DIE No: 99944




Wt. Range : 2.150-2.370

DIE No: 99948



Wt. Range : 0.480-0.560


DIE No: 99950



Wt. Range : 0.300-0.380

ELECTRICAL & ELECTRONICS


DIE No: 99951



Wt. Range : 0.355-0.385

ELECTRICAL 1

DIE No: 99952




Wt. Range : 0.360-0.400

ELECTRICAL & ELECTRONICS

DIE No: 99001

DIE NO. : 99001




Wt. : 0.260 Kg/M

GALCO GROUP

Wt. Range : -0.260

DIE No: 99003

DIE NO. : 99003




Wt. : 0.380 Kg/M

GALCO GROUP

Wt. Range : -0.380

DIE No: 99005

DIE NO. : 99005



Wt. : 2.990 Kg/M


GALCO GROUP

Wt. Range : -2.990

HEAT SINK

DIE No: 99002

DIE NO. : 99002



Wt. : 2.340 Kg/M

GALCO GROUP

Wt. Range : -2.340

DIE No: 99004

DIE NO. : 99004




Wt. : 0.780 Kg/M

GALCO GROUP

Wt. Range : -0.780

DIE No: 99006

DIE NO. : 99006



Wt. : 0.250 Kg/M


GALCO GROUP

Wt. Range : 0.245-0.280

ELECTRICAL & ELECTRONICS

DIE No: 99008

DIE NO. : 99008




Wt. : 1.910 Kg/M

GALCO GROUP

Wt. Range : -1.910

DIE No: 99012

DIE NO. : 99012




Wt. : 4.030 Kg/M

GALCO GROUP

Wt. Range : -4.030

DIE No: 99018

DIE NO. : 99018



Wt. : 0.500 Kg/M


GALCO GROUP

Wt. Range : -0.501

HEAT SINK

DIE No: 99010

DIE NO. : 99010




Wt. : 1.810 Kg/M

GALCO GROUP

Wt. Range : -1.810

DIE No: 99017

DIE NO. : 99017




Wt. : 0.880 Kg/M

GALCO GROUP

Wt. Range : -0.880

DIE No: 99020

DIE NO. : 99020




Wt. : 3.010 Kg/M

GALCO GROUP

Wt. Range : -3.010


ELECTRICAL & ELECTRONICS

DIE No: 99021




Wt. Range : -3.330

DIE No: 99024



Wt. Range : -4.460


DIE No: 99026



Wt. Range : -1.160


HEAT SINK

DIE No: 99023




Wt. Range : 4.000-4.100

DIE No: 99025



Wt. Range : -4.950

DIE No: 99027




Wt. Range : 1.440-1.520

ELECTRICAL & ELECTRONICS

DIE No: 99028

DIE NO. : 99028




Wt. : 1.360 Kg/M

GALCO GROUP

Wt. Range : -1.360

DIE No: 99031

DIE NO. : 99031




Wt. : 2.440 Kg/M

GALCO GROUP

Wt. Range : -2.440

DIE No: 99037

DIE NO. : 99037



Wt. : 0.590 Kg/M


GALCO GROUP

Wt. Range : -0.590

HEAT SINK

DIE No: 99030

DIE NO. : 99030




Wt. : 0.950 Kg/M

GALCO GROUP

Wt. Range : -0.950

DIE No: 99034

DIE NO. : 99034




Wt. : 1.870 Kg/M

GALCO GROUP

Wt. Range : 1.880-1.950

DIE No: 99038

DIE NO. : 99038



Wt. : 0.140 Kg/M


GALCO GROUP

Wt. Range : -0.140

ELECTRICAL & ELECTRONICS

DIE No: 99039

DIE NO. : 99039




Wt. : 1.350 Kg/M

GALCO GROUP

Wt. Range : -1.350

DIE No: 99042

DIE NO. : 99042




Wt. : 13.230 Kg/M

GALCO GROUP

Wt. Range : -13.230

DIE No: 99044

DIE NO. : 99044



Wt. : 11.320 Kg/M


GALCO GROUP

Wt. Range : -11.320

HEAT SINK

DIE No: 99041

DIE NO. : 99041




Wt. : 2.910 Kg/M

GALCO GROUP

Wt. Range : -2.910

DIE No: 99043

DIE NO. : 99043




Wt. : 16.520 Kg/M

GALCO GROUP

Wt. Range : 15.860-17.840

DIE No: 99045

DIE NO. : 99045




Wt. : 1.750 Kg/M

GALCO GROUP

Wt. Range : 1.660-1.890


ELECTRICAL & ELECTRONICS

DIE No: 99046




Wt. Range : 4.700-5.450

DIE No: 99048



Wt. Range : -2.480


DIE No: 99055



Wt. Range : -2.800


HEAT SINK

DIE No: 99047




Wt. Range : -1.780

DIE No: 99051



Wt. Range : -1.860


DIE No: 99059



Wt. Range : -10.000


ELECTRICAL & ELECTRONICS

DIE No: 99063




Wt. Range : -5.470

DIE No: 99074



Wt. Range : -15.830


DIE No: 99083



Wt. Range : 14.780-16.630


HEAT SINK

DIE No: 99066




Wt. Range : -5.630

DIE No: 99081



Wt. Range : -4.120

DIE No: 99085




Wt. Range : 1.860-2.000

ELECTRICAL & ELECTRONICS

DIE No: 99086

DIE NO. : 99086




Wt. : 10.100 Kg/M

GALCO GROUP

Wt. Range : 9.690-10.900

DIE No: 99089

DIE NO. : 99089




Wt. : 1.100 Kg/M

GALCO GROUP

Wt. Range : -1.100

DIE No: 99097

DIE NO. : 99097



Wt. : 0.280 Kg/M


GALCO GROUP

Wt. Range : -0.280

HEAT SINK

DIE No: 99088

DIE NO. : 99088




Wt. : 1.810 Kg/M

GALCO GROUP

Wt. Range : -1.810

DIE No: 99095

DIE NO. : 99095




Wt. : 14.300 Kg/M

GALCO GROUP

Wt. Range : -14.300

DIE No: 99098

DIE NO. : 99098



Wt. : 2.020 Kg/M


GALCO GROUP

Wt. Range : -2.020

ELECTRICAL & ELECTRONICS

DIE No: 99105

DIE NO. : 99105




Wt. : 2.960 Kg/M

GALCO GROUP

Wt. Range : -2.960

DIE No: 99107

DIE NO. : 99107




Wt. : 1.400 Kg/M

GALCO GROUP

Wt. Range : 1.300-1.500

DIE No: 99111

DIE NO. : 99111



Wt. : 2.880 Kg/M


GALCO GROUP

Wt. Range : 2.650-3.080

HEAT SINK

DIE No: 99106

DIE NO. : 99106




Wt. : 2.850 Kg/M

GALCO GROUP

Wt. Range : -2.850

DIE No: 99109

DIE NO. : 99109




Wt. : 2.280 Kg/M

GALCO GROUP

Wt. Range : 2.100-2.450

DIE No: 99113

DIE NO. : 99113




Wt. : 0.610 Kg/M

GALCO GROUP

Wt. Range : 0.560-0.650


ELECTRICAL & ELECTRONICS

DIE No: 99114




Wt. Range : 1.750-2.000

DIE No: 99121



Wt. Range : 4.660-5.040


DIE No: 99124



Wt. Range : 6.890-7.990


HEAT SINK

DIE No: 99119




Wt. Range : 1.550-1.800

DIE No: 99122



Wt. Range : 6.600-7.250

DIE No: 99131




Wt. Range : 1.300-1.550

ELECTRICAL & ELECTRONICS

DIE No: 99134

DIE NO. : 99134




Wt. : 3.600 Kg/M

GALCO GROUP

Wt. Range : 3.450-3.900

DIE No: 99148

DIE NO. : 99148




Wt. : 4.100 Kg/M

GALCO GROUP

Wt. Range : 3.920-4.420

DIE No: 99150

DIE NO. : 99150



Wt. : 2.800 Kg/M


GALCO GROUP

Wt. Range : 2.690-3.020

HEAT SINK

DIE No: 99135

DIE NO. : 99135




Wt. : 1.260 Kg/M

GALCO GROUP

Wt. Range : 1.220-1.400

DIE No: 99149

DIE NO. : 99149




Wt. : 5.350 Kg/M

GALCO GROUP

Wt. Range : 5.140-5.780

DIE No: 99152

DIE NO. : 99152




Wt. : 14.190 Kg/M

GALCO GROUP

Wt. Range : 13.620-15.320


ELECTRICAL & ELECTRONICS

DIE No: 99153




Wt. Range : 3.510-3.950

DIE No: 99177



Wt. Range : 3.000-3.250


DIE No: 99184



Wt. Range : 4.190-4.710


HEAT SINK

DIE No: 99158




Wt. Range : 6.250-7.050

DIE No: 99178



Wt. Range : 1.760-1.850


DIE No: 99204



Wt. Range : 1.230-1.380


ELECTRICAL & ELECTRONICS

DIE No: 99205




Wt. Range : 5.250-5.670

DIE No: 99213



Wt. Range : 0.160-0.185


DIE No: 99217



Wt. Range : 0.430-0.490


HEAT SINK

DIE No: 99212




Wt. Range : 0.240-0.275

DIE No: 99216



Wt. Range : 12.910-14.530


DIE No: 99219



Wt. Range : 1.470-1.680

ELECTRICAL & ELECTRONICS


DIE No: 99220



Wt. Range : 4.715-5.315

DIE No: 99504


DIE.NO. 99504



Wt. Range : 3.760-4.230 KG/MTR

HEAT SINK

DIE No: 99234




Wt. Range : 0.450-0.515

DIE No: 99513

Wt. Range : -


ELECTRICAL & ELECTRONICS

DIE No: 93293




Wt. Range : 1.560-1.720

DIE No: 99726



Wt. Range : 0.130-0.160


DIE No: 99774



Wt. Range : 0.200-0.250


LED

DIE No: 99725




Wt. Range : 0.128-0.160

DIE No: 99736



Wt. Range : 0.240-0.280


DIE No: 99802



Wt. Range : 1.330-1.550


ELECTRICAL & ELECTRONICS

DIE No: 99839




Wt. Range : 1.740-1.960

DIE No: 99880



Wt. Range : 0.750-0.850


DIE No: 99939



Wt. Range : 1.265-1.432

LED

DIE No: 99878




Wt. Range : 1.070-1.210

DIE No: 99937

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT




PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Wt. Range : 1.400-1.565

DIE No: 99940




Wt. Range : 1.740-1.955

ELECTRICAL & ELECTRONICS

LED

DIE No: 98805

DIE.NO. 98805




Wt 0.115 KG/M

GALCO

Wt. Range : 0.100-0.120


ELECTRICAL & ELECTRONICS

DIE No: 98037




Wt. Range : 3.030-3.410

DIE No: 99867



Wt. Range : 1.020-1.060


DIE No: 99936



Wt. Range : 0.760-0.870


RESISTOR

DIE No: 99836




Wt. Range : 2.460-2.660

DIE No: 99868



Wt. Range : 1.320-1.500

DIE No: 99938



Wt. Range : 4.230-4.500