



ELECTRICAL & ELECTRONICS

DIE No: 93293




Wt. Range : 1.560-1.720

DIE No: 99726



Wt. Range : 0.130-0.160


DIE No: 99774



Wt. Range : 0.200-0.250


LED

DIE No: 99725




Wt. Range : 0.128-0.160

DIE No: 99736



Wt. Range : 0.240-0.280


DIE No: 99802



Wt. Range : 1.330-1.550


ELECTRICAL & ELECTRONICS

DIE No: 99839




Wt. Range : 1.740-1.960

DIE No: 99880



Wt. Range : 0.750-0.850


DIE No: 99939



Wt. Range : 1.265-1.432

LED

DIE No: 99878




Wt. Range : 1.070-1.210

DIE No: 99937

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT




PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Wt. Range : 1.400-1.565

DIE No: 99940




Wt. Range : 1.740-1.955

ELECTRICAL & ELECTRONICS

LED

DIE No: 98805

DIE.NO. 98805



Wt 0.115 KG/M

GALCO

Wt. Range : 0.100-0.120