


GEOMETRICAL SHAPES

DIE No: 81001

DIE NO. : 81001




Wt. : 2.120 Kg/M

GALCO GROUP

Wt. Range : -2.120

DIE No: 95000

DIE NO. : 95000



Wt. : 0.740 Kg/M


GALCO GROUP

Wt. Range : 0.710-0.800

C CHANNEL

DIE No: 81006

DIE NO. : 81006



Wt. : 5.450 Kg/M


GALCO GROUP

Wt. Range : 5.100-5.900

GEOMETRICAL SHAPES

DIE No: 60001

DIE NO. : 60001




Wt. : 1.300 Kg/M

GALCO GROUP

Wt. Range : -1.300

DIE No: 60004

DIE NO. : 60004




Wt. : 21.600 Kg/M

GALCO GROUP

Wt. Range : -21.600

DIE No: 60011

DIE NO. : 60011



Wt. : 0.720 Kg/M


GALCO GROUP

Wt. Range : 0.660-

FLAT BARS

DIE No: 60003

DIE NO. : 60003




Wt. : 13.500 Kg/M

GALCO GROUP

Wt. Range : -13.500

DIE No: 60010

DIE NO. : 60010




Wt. : 0.630 Kg/M

GALCO GROUP

Wt. Range : 0.570-0.670

DIE No: 60012

DIE NO. : 60012



Wt. : 0.450 Kg/M


GALCO GROUP

Wt. Range : 0.420-0.480

GEOMETRICAL SHAPES

DIE No: 60013

DIE NO. : 60013




Wt. : 2.800 Kg/M

GALCO GROUP

Wt. Range : 2.700-2.900

DIE No: 60015

DIE NO. : 60015



Wt. : 5.260 Kg/M

GALCO GROUP

Wt. Range : 5.050-5.460

DIE No: 60018

DIE NO. : 60018



Wt. : 6.750 Kg/M


GALCO GROUP

Wt. Range : 6.480-7.290

FLAT BARS

DIE No: 60014

DIE NO. : 60014




Wt. : 5.840 Kg/M

GALCO GROUP

Wt. Range : 5.600-6.060

DIE No: 60017

DIE NO. : 60017




Wt. : 5.400 Kg/M

GALCO GROUP

Wt. Range : -

DIE No: 60019

DIE NO. : 60019



Wt. : 4.120 Kg/M


GALCO GROUP

Wt. Range : -

GEOMETRICAL SHAPES

DIE No: 60022

DIE NO. : 60022




Wt. : 1.010 Kg/M

GALCO GROUP

Wt. Range : 0.930-1.080

DIE No: 60048

DIE NO. : 60048




Wt. : 0.440 Kg/M

GALCO GROUP

Wt. Range : 0.420-0.470

DIE No: 60051

DIE NO. :60051



Wt. :0.380 Kg/M


GALCO GROUP

Wt. Range : 0.350-0.500

FLAT BARS

DIE No: 60047

DIE NO. : 60047




Wt. : 3.780 Kg/M

GALCO GROUP

Wt. Range : 3.600-4.000

DIE No: 60049

DIE NO. : 60049




Wt. : 0.330 Kg/M

GALCO GROUP

Wt. Range : 0.320-0.360

DIE No: 60052

DIE NO. :60052




Wt. :0.400 Kg/M

GALCO GROUP

Wt. Range : 0.340-0.400


GEOMETRICAL SHAPES

DIE No: 60053




Wt. Range : 0.070-0.090

DIE No: 60056



Wt. Range : 1.000-1.160


DIE No: 60058



Wt. Range : 0.260-0.320


FLAT BARS

DIE No: 60054




Wt. Range : 1.000-1.120

DIE No: 60057



Wt. Range : 0.660-0.700


DIE No: 60059



Wt. Range : 3.950-4.440


GEOMETRICAL SHAPES

DIE No: 60060




Wt. Range : 0.123-0.142

DIE No: 60062



Wt. Range : 0.620-0.700


DIE No: 90506



Wt. Range : -0.200


FLAT BARS

DIE No: 60061




Wt. Range : 0.160-0.185

DIE No: 60063



Wt. Range : 3.050-3.435

DIE No: 90514




Wt. Range : -1.610

GEOMETRICAL SHAPES

DIE No: 90515

DIE NO. : 90515




Wt. : 1.620 Kg/M

GALCO GROUP

Wt. Range : -1.620

DIE No: 90522

DIE NO. : 90522




Wt. : 2.430 Kg/M

GALCO GROUP

Wt. Range : -2.430

DIE No: 90527

DIE NO. : 90527



Wt. : 0.540 Kg/M


GALCO GROUP

Wt. Range : -0.540

FLAT BARS

DIE No: 90516

DIE NO. : 90516




Wt. : 3.020 Kg/M

GALCO GROUP

Wt. Range : -3.020

DIE No: 90524

DIE NO. : 90524




Wt. : 1.300 Kg/M

GALCO GROUP

Wt. Range : -1.300

DIE No: 90528

DIE NO. : 90528



Wt. : 1.080 Kg/M


GALCO GROUP

Wt. Range : -1.080

GEOMETRICAL SHAPES

DIE No: 90529

DIE NO. : 90529




Wt. : 1.350 Kg/M

GALCO GROUP

Wt. Range : -1.350

DIE No: 90531

DIE NO. : 90531




Wt. : 1.940 Kg/M

GALCO GROUP

Wt. Range : -1.940

DIE No: 90533

DIE NO. : 90533



Wt. : 1.600 Kg/M


GALCO GROUP

Wt. Range : -1.600

FLAT BARS

DIE No: 90530

DIE NO. : 90530




Wt. : 0.810 Kg/M

GALCO GROUP

Wt. Range : 0.790-0.850

DIE No: 90532

DIE NO. : 90532




Wt. : 0.970 Kg/M

GALCO GROUP

Wt. Range : -0.970

DIE No: 90535

DIE NO. : 90535



Wt. : 1.210 Kg/M


GALCO GROUP

Wt. Range : -1.210

GEOMETRICAL SHAPES

DIE No: 90536

DIE NO. : 90536




Wt. : 1.990 Kg/M

GALCO GROUP

Wt. Range : -1.990

DIE No: 90538

DIE NO. : 90538




Wt. : 2.680 Kg/M

GALCO GROUP

Wt. Range : -2.680

DIE No: 90540

DIE NO. : 90540



Wt. : 4.900 Kg/M


GALCO GROUP

Wt. Range : -4.900

FLAT BARS

DIE No: 90537

DIE NO. : 90537




Wt. : 2.140 Kg/M

GALCO GROUP

Wt. Range : -2.140

DIE No: 90539

DIE NO. : 90539




Wt. : 3.220 Kg/M

GALCO GROUP

Wt. Range : -3.220

DIE No: 90542

DIE NO. : 90542



Wt. : 2.590 Kg/M


GALCO GROUP

Wt. Range : -2.590

GEOMETRICAL SHAPES

DIE No: 90543

DIE NO. : 90543




Wt. : 4.030 Kg/M

GALCO GROUP

Wt. Range : -4.030

DIE No: 90545

DIE NO. : 90545




Wt. : 4.300 Kg/M

GALCO GROUP

Wt. Range : -4.300

DIE No: 90548

DIE NO. : 90548



Wt. : 0.670 Kg/M


GALCO GROUP

Wt. Range : -0.670

FLAT BARS

DIE No: 90544

DIE NO. : 90544




Wt. : 4.840 Kg/M

GALCO GROUP

Wt. Range : -4.840

DIE No: 90547

DIE NO. : 90547




Wt. : 0.540 Kg/M

GALCO GROUP

Wt. Range : -0.540

DIE No: 90549

DIE NO. : 90549




Wt. : 0.650 Kg/M

GALCO GROUP

Wt. Range : -0.650


GEOMETRICAL SHAPES

DIE No: 90550




Wt. Range : -0.810

DIE No: 90555



Wt. Range : -6.540


DIE No: 90558



Wt. Range : -6.050


FLAT BARS

DIE No: 90554




Wt. Range : -4.300

DIE No: 90556



Wt. Range : -0.990

DIE No: 90559




Wt. Range : -6.460

GEOMETRICAL SHAPES

DIE No: 90560

DIE NO. : 90560




Wt. : 8.190 Kg/M

GALCO GROUP

Wt. Range : -8.190

DIE No: 90562

DIE NO. : 90562




Wt. : 4.860 Kg/M

GALCO GROUP

Wt. Range : -4.860

DIE No: 90565

DIE NO. : 90565



Wt. : 6.470 Kg/M


GALCO GROUP

Wt. Range : -6.470

FLAT BARS

DIE No: 90561

DIE NO. : 90561




Wt. : 1.350 Kg/M

GALCO GROUP

Wt. Range : -0.350

DIE No: 90563

DIE NO. : 90563




Wt. : 1.220 Kg/M

GALCO GROUP

Wt. Range : -1.220

DIE No: 90566

DIE NO. : 90566



Wt. : 5.180 Kg/M


GALCO GROUP

Wt. Range : -5.180

GEOMETRICAL SHAPES

DIE No: 90567

DIE NO. : 90567




Wt. : 0.970 Kg/M

GALCO GROUP

Wt. Range : -0.970

DIE No: 90569

DIE NO. : 90569




Wt. : 5.390 Kg/M

GALCO GROUP

Wt. Range : -5.400

DIE No: 90571

DIE NO. : 90571



Wt. : 0.580 Kg/M


GALCO GROUP

Wt. Range : -0.582

FLAT BARS

DIE No: 90568

DIE NO. : 90568




Wt. : 3.230 Kg/M

GALCO GROUP

Wt. Range : -3.240

DIE No: 90570

DIE NO. : 90570




Wt. : 1.050 Kg/M

GALCO GROUP

Wt. Range : -1.050

DIE No: 90572

DIE NO. : 90572



Wt. : 0.720 Kg/M


GALCO GROUP

Wt. Range : -0.720

GEOMETRICAL SHAPES

DIE No: 90573

DIE NO. : 90573




Wt. : 4.210 Kg/M

GALCO GROUP

Wt. Range : -4.210

DIE No: 90577

DIE NO. : 90577




Wt. : 2.320 Kg/M

GALCO GROUP

Wt. Range : -2.320

DIE No: 90587

DIE NO. : 90587



Wt. : 4.050 Kg/M


GALCO GROUP

Wt. Range : -4.050

FLAT BARS

DIE No: 90576

DIE NO. : 90576




Wt. : 1.470 Kg/M

GALCO GROUP

Wt. Range : -1.470

DIE No: 90578

DIE NO. : 90578




Wt. : 4.000 Kg/M

GALCO GROUP

Wt. Range : -4.000

DIE No: 90588

DIE NO. : 90588




Wt. : 4.030 Kg/M

GALCO GROUP

Wt. Range : -4.030

GEOMETRICAL SHAPES


DIE No: 90589



Wt. Range : -4.660

FLAT BARS

DIE No: 90593




Wt. Range : -0.770

GEOMETRICAL SHAPES

FLAT BARS 1

DIE No: 60016




Wt. Range : -

GEOMETRICAL SHAPES

DIE No: 90701

DIE NO. : 90701




Wt. : 0.340 Kg/M

GALCO GROUP

Wt. Range : -0.340

DIE No: 90705

DIE NO. : 90705




Wt. : 0.680 Kg/M

GALCO GROUP

Wt. Range : -0.675

DIE No: 90707

DIE NO. : 90707



Wt. : 0.850 Kg/M


GALCO GROUP

Wt. Range : -0.800

HEXAGONAL BARS

DIE No: 90703

DIE NO. : 90703




Wt. : 1.130 Kg/M

GALCO GROUP

Wt. Range : 1.085-1.220

DIE No: 90706

DIE NO. : 90706




Wt. : 1.885 Kg/M

GALCO GROUP

Wt. Range : 1.810-2.035

DIE No: 90708

DIE NO. : 90708



Wt. : 5.400 Kg/M


GALCO GROUP

Wt. Range : -5.400

GEOMETRICAL SHAPES

DIE No: 90751

DIE NO. : 90751




Wt. : 5.680 Kg/M

GALCO GROUP

Wt. Range : -5.680

DIE No: 90753

DIE NO. : 90753




Wt. : 9.040 Kg/M

GALCO GROUP

Wt. Range : -9.040

DIE No: 90755

DIE NO. : 90755



Wt. : 4.400 Kg/M


GALCO GROUP

Wt. Range : -4.390

HEXAGONAL TUBE

DIE No: 90752

DIE NO. : 90752




Wt. : 5.400 Kg/M

GALCO GROUP

Wt. Range : -5.410

DIE No: 90754

DIE NO. : 90754




Wt. : 3.590 Kg/M

GALCO GROUP

Wt. Range : -3.600

DIE No: 90756

DIE NO. : 90756



Wt. : 3.150 Kg/M


GALCO GROUP

Wt. Range : -3.200

GEOMETRICAL SHAPES

DIE No: 90757

DIE NO. : 90757




Wt. : 5.500 Kg/M

GALCO GROUP

Wt. Range : -5.500

DIE No: 90759

DIE NO. : 90759




Wt. : 2.600 Kg/M

GALCO GROUP

Wt. Range : -2.690

DIE No: 90767

DIE.NO. 90767




Wt 1.131KG/M

Wt. Range : 1.080-1.225

HEXAGONAL TUBE

DIE No: 90758

DIE NO. : 90758




Wt. : 9.900 Kg/M

GALCO GROUP

Wt. Range : -9.900

DIE No: 90760

DIE NO. : 90760




Wt. : 4.070 Kg/M

GALCO GROUP

Wt. Range : -4.070

DIE No: 90768

DIE.NO. 90768




Wt 0.500KG/M

Wt. Range : 0.450-0.600

GEOMETRICAL SHAPES

DIE No: 90801

DIE NO. : 90801




Wt. : 0.140 Kg/M

GALCO GROUP

Wt. Range : -0.140

DIE No: 90808

DIE NO. : 90808




Wt. : 1.520 Kg/M

GALCO GROUP

Wt. Range : -1.520

DIE No: 90818

DIE NO. : 90818



Wt. : 0.790 Kg/M


GALCO GROUP

Wt. Range : -0.780

L ANGLE EQUAL

DIE No: 90804

DIE NO. : 90804




Wt. : 0.410 Kg/M

GALCO GROUP

Wt. Range : -0.410

DIE No: 90812

DIE NO. : 90812




Wt. : 0.060 Kg/M

GALCO GROUP

Wt. Range : -0.060

DIE No: 90819

DIE NO. : 90819



Wt. : 1.630 Kg/M


GALCO GROUP

Wt. Range : -1.630

GEOMETRICAL SHAPES

DIE No: 90821

DIE NO. : 90821




Wt. : 3.850 Kg/M

GALCO GROUP

Wt. Range : -3.800

DIE No: 90825

DIE NO. : 90825




Wt. : 0.460 Kg/M

GALCO GROUP

Wt. Range : -0.460

DIE No: 90831

DIE NO. : 90831



Wt. : 6.585 Kg/M


GALCO GROUP

Wt. Range : 6.350-6.800

L ANGLE EQUAL

DIE No: 90824

DIE NO. : 90824




Wt. : 1.280 Kg/M

GALCO GROUP

Wt. Range : -1.280

DIE No: 90829

DIE NO. : 90829




Wt. : 3.040 Kg/M

GALCO GROUP

Wt. Range : -3.050

DIE No: 90832

DIE.NO. 90832




Wt 0.390 KG/M

GALCO

Wt. Range : 2.050-2.150


GEOMETRICAL SHAPES

DIE No: 90833



Wt. Range : -0.320


DIE No: 90835



Wt. Range : 0.560-0.635

L ANGLE EQUAL

DIE No: 90834




Wt. Range : 3.200-4.200

GEOMETRICAL SHAPES

L ANGLE FLUTED

DIE No: 90951




Wt. Range : -0.040

GEOMETRICAL SHAPES

DIE No: 90900

DIE NO. : 90900




Wt. : 0.280 Kg/M

GALCO GROUP

Wt. Range : -0.280

DIE No: 90902

DIE NO. : 90902




Wt. : 0.410 Kg/M

GALCO GROUP

Wt. Range : -0.410

DIE No: 90912

DIE NO. : 90912



Wt. : 0.220 Kg/M


GALCO GROUP

Wt. Range : -0.220

L ANGLE UNEQUAL

DIE No: 90901

DIE NO. : 90901




Wt. : 0.130 Kg/M

GALCO GROUP

Wt. Range : -0.130

DIE No: 90911

DIE NO. : 90911




Wt. : 0.100 Kg/M

GALCO GROUP

Wt. Range : -0.090

DIE No: 99758

DIE NO. : 99758



Wt. : 1.150 Kg/M


GALCO GROUP

Wt. Range : 1.100-1.215

GEOMETRICAL SHAPES

DIE No: 90400

DIE NO. : 90400




Wt. : 0.760 Kg/M

GALCO GROUP

Wt. Range : -0.760

DIE No: 90402

DIE NO. : 90402




Wt. : 0.280 Kg/M

GALCO GROUP

Wt. Range : 0.270-0.300

DIE No: 90404

DIE NO. : 90404



Wt. : 0.380 Kg/M

GALCO GROUP

Wt. Range : -0.380

RECTANGULAR TUBE

DIE No: 90401

DIE NO. : 90401




Wt. : 1.400 Kg/M

GALCO GROUP

Wt. Range : -1.390

DIE No: 90403

DIE NO. : 90403




Wt. : 0.350 Kg/M

GALCO GROUP

Wt. Range : -0.370

DIE No: 90405

DIE NO. : 90405



Wt. : 0.560 Kg/M


GALCO GROUP

Wt. Range : -0.550

GEOMETRICAL SHAPES

DIE No: 90407

DIE NO. : 90407




Wt. : 0.640 Kg/M

GALCO GROUP

Wt. Range : -0.650

DIE No: 90410

DIE NO. : 90410



Wt. : 1.200 Kg/M

GALCO GROUP

Wt. Range : -1.370

DIE No: 90412

DIE NO. : 90412



Wt. : 0.800 Kg/M

GALCO GROUP

Wt. Range : -0.800

RECTANGULAR TUBE

DIE No: 90408

DIE NO. : 90408




Wt. : 1.150 Kg/M

GALCO GROUP

Wt. Range : -1.150

DIE No: 90411

DIE NO. : 90411




Wt. : 0.180 Kg/M

GALCO GROUP

Wt. Range : -0.180

DIE No: 90413

DIE NO. : 90413



Wt. : 0.240 Kg/M

GALCO GROUP

Wt. Range : 0.230-0.260

GEOMETRICAL SHAPES

DIE No: 90415

DIE NO. : 90415




Wt. : 2.420 Kg/M

GALCO GROUP

Wt. Range : -2.330

DIE No: 90417

DIE NO. : 90417




Wt. : 0.440 Kg/M

GALCO GROUP

Wt. Range : -0.440

DIE No: 90419

DIE NO. : 90419



Wt. : 0.970 Kg/M


GALCO GROUP

Wt. Range : -0.970

RECTANGULAR TUBE

DIE No: 90416

DIE NO. : 90416




Wt. : 0.640 Kg/M

GALCO GROUP

Wt. Range : -0.640

DIE No: 90418

DIE NO. : 90418




Wt. : 10.100 Kg/M

GALCO GROUP

Wt. Range : -10.100

DIE No: 90420

DIE NO. : 90420



Wt. : 1.300 Kg/M


GALCO GROUP

Wt. Range : -1.200

GEOMETRICAL SHAPES

DIE No: 90421

DIE NO. : 90421




Wt. : 0.580 Kg/M

GALCO GROUP

Wt. Range : -0.580

DIE No: 90423

DIE NO. : 90423




Wt. : 1.200 Kg/M

GALCO GROUP

Wt. Range : -1.190

DIE No: 90425

DIE NO. : 90425



Wt. : 2.190 Kg/M


GALCO GROUP

Wt. Range : 2.000-2.350

RECTANGULAR TUBE

DIE No: 90422

DIE NO. : 90422




Wt. : 0.870 Kg/M

GALCO GROUP

Wt. Range : -0.870

DIE No: 90424

DIE NO. : 90424



Wt. : 2.600 Kg/M

GALCO GROUP

Wt. Range : -2.600

DIE No: 90426

DIE NO. : 90426



Wt. : 3.500 Kg/M


GALCO GROUP

Wt. Range : -3.500

GEOMETRICAL SHAPES

DIE No: 90427

DIE NO. : 90427




Wt. : 0.270 Kg/M

GALCO GROUP

Wt. Range : -0.270

DIE No: 90431

DIE NO. : 90431



Wt. : 0.390 Kg/M

GALCO GROUP

Wt. Range : -0.390

DIE No: 90438

DIE NO. : 90438



Wt. : 1.850 Kg/M


GALCO GROUP

Wt. Range : -1.850

RECTANGULAR TUBE

DIE No: 90429

DIE NO. : 90429




Wt. : 0.600 Kg/M

GALCO GROUP

Wt. Range : 0.560-0.650

DIE No: 90434

DIE NO. : 90434




Wt. : 0.580 Kg/M

GALCO GROUP

Wt. Range : -0.580

DIE No: 90439

DIE NO. : 90439



Wt. : 1.580 Kg/M

GALCO GROUP

Wt. Range : -1.580

GEOMETRICAL SHAPES

DIE No: 90440

DIE NO. : 90440



Wt. : 1.850 Kg/M

GALCO GROUP

Wt. Range : -1.850

DIE No: 90442

DIE NO. : 90442




Wt. : 2.290 Kg/M

GALCO GROUP

Wt. Range : -2.290

DIE No: 90447

DIE NO. : 90447



Wt. : 7.550 Kg/M


GALCO GROUP

Wt. Range : 6.940-8.050

RECTANGULAR TUBE

DIE No: 90441

DIE NO. : 90441




Wt. : 1.290 Kg/M

GALCO GROUP

Wt. Range : -1.290

DIE No: 90444

DIE NO. : 90444




Wt. : 1.440 Kg/M

GALCO GROUP

Wt. Range : -1.440

DIE No: 90457

DIE NO. : 90457




Wt. : 6.200 Kg/M

GALCO GROUP

Wt. Range : 5.750-6.710


GEOMETRICAL SHAPES

DIE No: 90468




Wt. Range : 0.130-0.150

DIE No: 90471



Wt. Range : 0.465-0.525


DIE No: 90473



Wt. Range : 0.485-0.545 KG/MTR


RECTANGULAR TUBE

DIE No: 90469



Wt. Range : 0.145-0.150

DIE No: 90472




Wt. Range : 0.335-0.380 KG/MTR

GEOMETRICAL SHAPES

DIE No: 90300

DIE NO. : 90300




Wt. : 0.940 Kg/M

GALCO GROUP

Wt. Range : -0.940

DIE No: 90304

DIE NO. : 90304




Wt. : 1.910 Kg/M

GALCO GROUP

Wt. Range : -1.910

DIE No: 90308

DIE NO. : 90308



Wt. : 3.390 Kg/M


GALCO GROUP

Wt. Range : -3.390

ROUND ROD

DIE No: 90303

DIE NO. : 90303




Wt. : 1.550 Kg/M

GALCO GROUP

Wt. Range : -1.550

DIE No: 90305

DIE NO. : 90305




Wt. : 2.170 Kg/M

GALCO GROUP

Wt. Range : -2.170

DIE No: 90309

DIE NO. : 90309



Wt. : 3.230 Kg/M


GALCO GROUP

Wt. Range : -3.230

GEOMETRICAL SHAPES

DIE No: 90310

DIE NO. : 90310




Wt. : 0.210 Kg/M

GALCO GROUP

Wt. Range : 0.190-0.230

DIE No: 90315

DIE NO. : 90315




Wt. : 0.160 Kg/M

GALCO GROUP

Wt. Range : -0.160

DIE No: 90317

DIE NO. : 90317



Wt. : 0.550 Kg/M


GALCO GROUP

Wt. Range : -0.550

ROUND ROD

DIE No: 90312

DIE NO. : 90312




Wt. : 0.190 Kg/M

GALCO GROUP

Wt. Range : -0.190

DIE No: 90316

DIE NO. : 90316




Wt. : 1.380 Kg/M

GALCO GROUP

Wt. Range : -1.370

DIE No: 90318

DIE NO. : 90318



Wt. : 0.650 Kg/M


GALCO GROUP

Wt. Range : -0.650

GEOMETRICAL SHAPES

DIE No: 90319

DIE NO. : 90319




Wt. : 0.770 Kg/M

GALCO GROUP

Wt. Range : -0.770

DIE No: 90321

DIE NO. : 90321




Wt. : 3.060 Kg/M

GALCO GROUP

Wt. Range : -3.060

DIE No: 90323

DIE NO. : 90323



Wt. : 5.740 Kg/M


GALCO GROUP

Wt. Range : -5.740

ROUND ROD

DIE No: 90320

DIE NO. : 90320




Wt. : 2.750 Kg/M

GALCO GROUP

Wt. Range : -2.750

DIE No: 90322

DIE NO. : 90322



Wt. : 4.890 Kg/M

GALCO GROUP

Wt. Range : -4.890

DIE No: 90324

DIE NO. : 90324



Wt. : 8.960 Kg/M


GALCO GROUP

Wt. Range : -8.960

GEOMETRICAL SHAPES

DIE No: 90325

DIE NO. : 90325




Wt. : 9.800 Kg/M

GALCO GROUP

Wt. Range : -9.810

DIE No: 90327

DIE NO. : 90327




Wt. : 11.930 Kg/M

GALCO GROUP

Wt. Range : -11.930

DIE No: 90329

DIE NO. : 90329



Wt. : 0.690 Kg/M


GALCO GROUP

Wt. Range : -0.690

ROUND ROD

DIE No: 90326

DIE NO. : 90326




Wt. : 11.300 Kg/M

GALCO GROUP

Wt. Range : -11.300

DIE No: 90328

DIE NO. : 90328




Wt. : 14.260 Kg/M

GALCO GROUP

Wt. Range : -14.260

DIE No: 90330

DIE NO. : 90330



Wt. : 0.850 Kg/M


GALCO GROUP

Wt. Range : -0.850

GEOMETRICAL SHAPES

DIE No: 90331

DIE NO. : 90331




Wt. : 1.030 Kg/M

GALCO GROUP

Wt. Range : -1.030

DIE No: 90333

DIE NO. : 90333




Wt. : 0.260 Kg/M

GALCO GROUP

Wt. Range : -0.260

DIE No: 90336

DIE NO. : 90336



Wt. : 1.720 Kg/M


GALCO GROUP

Wt. Range : -1.720

ROUND ROD

DIE No: 90332

DIE NO. : 90332




Wt. : 2.040 Kg/M

GALCO GROUP

Wt. Range : -2.040

DIE No: 90334

DIE NO. : 90334




Wt. : 0.360 Kg/M

GALCO GROUP

Wt. Range : -0.360

DIE No: 90337

DIE NO. : 90337



Wt. : 3.650 Kg/M


GALCO GROUP

Wt. Range : 3.640-3.670

GEOMETRICAL SHAPES

DIE No: 90338

DIE NO. : 90338




Wt. : 11.610 Kg/M

GALCO GROUP

Wt. Range : -11.610

DIE No: 90340

DIE NO. : 90340




Wt. : 7.630 Kg/M

GALCO GROUP

Wt. Range : -7.630

DIE No: 90342

DIE NO. : 90342



Wt. : 14.600 Kg/M


GALCO GROUP

Wt. Range : -14.600

ROUND ROD

DIE No: 90339

DIE NO. : 90339




Wt. : 2.390 Kg/M

GALCO GROUP

Wt. Range : -2.390

DIE No: 90341

DIE NO. : 90341




Wt. : 3.870 Kg/M

GALCO GROUP

Wt. Range : -3.870

DIE No: 90343

DIE NO. : 90343



Wt. : 15.320 Kg/M


GALCO GROUP

Wt. Range : -15.320

GEOMETRICAL SHAPES

DIE No: 90344

DIE NO. : 90344




Wt. : 1.330 Kg/M

GALCO GROUP

Wt. Range : -1.330

DIE No: 90347

DIE NO. : 90347




Wt. : 2.300 Kg/M

GALCO GROUP

Wt. Range : -2.300

DIE No: 90352

DIE NO. : 90352



Wt. : 0.480 Kg/M


GALCO GROUP

Wt. Range : 0.440-0.510

ROUND ROD

DIE No: 90345

DIE NO. : 90345




Wt. : 5.300 Kg/M

GALCO GROUP

Wt. Range : -5.300

DIE No: 90349

DIE NO. : 90349



Wt. : 1.720 Kg/M

GALCO GROUP

Wt. Range : -1.720

DIE No: 90353

DIE NO. : 90353



Wt. : 0.510 Kg/M


GALCO GROUP

Wt. Range : 0.470-0.540

GEOMETRICAL SHAPES

ROUND ROD


DIE No: 90356



Wt. Range : 2.560-2.880


GEOMETRICAL SHAPES

DIE No: 90010




Wt. Range : -0.040

DIE No: 90018



Wt. Range : -0.100


DIE No: 90042



Wt. Range : 0.340-0.380


ROUND TUBE

DIE No: 90013




Wt. Range : 0.090-0.100

DIE No: 90027



Wt. Range : 0.250-0.280


DIE No: 90047



Wt. Range : 0.370-0.430


GEOMETRICAL SHAPES

DIE No: 90056




Wt. Range : -0.560

DIE No: 90071



Wt. Range : -0.850


DIE No: 90083



Wt. Range : -1.760


ROUND TUBE

DIE No: 90066




Wt. Range : 0.770-0.890

DIE No: 90073



Wt. Range : 0.490-0.550

DIE No: 90087




Wt. Range : -3.180

GEOMETRICAL SHAPES

DIE No: 90092

DIE NO. : 90092




Wt. : 0.550 Kg/M

GALCO GROUP

Wt. Range : -0.550

DIE No: 90095

DIE NO. : 90095




Wt. : 2.850 Kg/M

GALCO GROUP

Wt. Range : 2.740-3.080

DIE No: 90098

DIE NO. : 90098



Wt. : 2.880 Kg/M


GALCO GROUP

Wt. Range : 2.770-

ROUND TUBE

DIE No: 90093

DIE NO. : 90093




Wt. : 1.740 Kg/M

GALCO GROUP

Wt. Range : -1.740

DIE No: 90096

DIE NO. : 90096




Wt. : 1.200 Kg/M

GALCO GROUP

Wt. Range : -1.200

DIE No: 90100

DIE NO. : 90100




Wt. : 6.500 Kg/M

GALCO GROUP

Wt. Range : -6.500


GEOMETRICAL SHAPES

DIE No: 90104




Wt. Range : -0.610

DIE No: 90106



Wt. Range : -1.450


DIE No: 90138



Wt. Range : -6.410


ROUND TUBE

DIE No: 90105




Wt. Range : -1.000

DIE No: 90134



Wt. Range : 0.610-0.685


DIE No: 90141



Wt. Range : -0.050


GEOMETRICAL SHAPES

DIE No: 90143




Wt. Range : -4.780

DIE No: 90145



Wt. Range : -6.790


DIE No: 90148



Wt. Range : -1.210


ROUND TUBE

DIE No: 90144




Wt. Range : -1.370

DIE No: 90147



Wt. Range : -1.500

DIE No: 90149




Wt. Range : -3.200

GEOMETRICAL SHAPES

DIE No: 90150

DIE.NO. 90150




Wt 1.325 KG/M

Wt. Range : 1.270-1.430

DIE No: 90152

DIE NO. : 90152




Wt. : 5.730 Kg/M

GALCO GROUP

Wt. Range : -5.730

DIE No: 90154

DIE NO. : 90154



Wt. : 8.540 Kg/M


GALCO GROUP

Wt. Range : -8.540

ROUND TUBE

DIE No: 90151

DIE NO. : 90151




Wt. : 2.000 Kg/M

GALCO GROUP

Wt. Range : -2.000

DIE No: 90153

DIE NO. : 90153




Wt. : 8.480 Kg/M

GALCO GROUP

Wt. Range : -8.480

DIE No: 90155

DIE NO. : 90155




Wt. : 13.800 Kg/M

GALCO GROUP

Wt. Range : -13.800


GEOMETRICAL SHAPES

DIE No: 90156




Wt. Range : -15.900

DIE No: 90158



Wt. Range : -18.030


DIE No: 90160



Wt. Range : -28.200


ROUND TUBE

DIE No: 90157




Wt. Range : -21.360

DIE No: 90159



Wt. Range : -27.830


DIE No: 90161



Wt. Range : -34.000


GEOMETRICAL SHAPES

DIE No: 90163




Wt. Range : 3.000-3.370

DIE No: 90165



Wt. Range : -3.730


DIE No: 90189



Wt. Range : 2.000-2.300


ROUND TUBE

DIE No: 90164




Wt. Range : -0.900

DIE No: 90171



Wt. Range : -2.580


DIE No: 90212



Wt. Range : 0.360-0.400


GEOMETRICAL SHAPES

DIE No: 90213




Wt. Range : 0.600-0.680

DIE No: 90250



Wt. Range : 0.145-0.155

DIE No: 90259




Wt. Range : 1.850-2.080

ROUND TUBE

DIE No: 90249


PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT



PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT


Wt. Range : 0.900-1.030

DIE No: 90256



Wt. Range : 0.380-0.430


DIE No: 90261



Wt. Range : 3.230-3.630


GEOMETRICAL SHAPES

DIE No: 90262




Wt. Range : 2.200-2.470

DIE No: 90270



Wt. Range : 0.470-0.540


DIE No: 90284



Wt. Range : 0.230-0.260


ROUND TUBE

DIE No: 90263




Wt. Range : 0.460-0.520

DIE No: 90273



Wt. Range : 4.520-5.100

DIE No: 91455




Wt. Range : 12.300-12.750

GEOMETRICAL SHAPES

ROUND TUBE


DIE No: 90371



Wt. Range : 4.985-5.610 KG/MTR


GEOMETRICAL SHAPES

DIE No: 60055




Wt. Range : 3.320-3.560

DIE No: 90603



Wt. Range : -0.390


DIE No: 90611



Wt. Range : 12.690-14.290


SQUARE BARS

DIE No: 90600



Wt. Range : -0.170

DIE No: 90608




Wt. Range : 0.600-0.650

GEOMETRICAL SHAPES

DIE No: 91000

DIE NO. : 91000




Wt. : 0.400 Kg/M

GALCO GROUP

Wt. Range : -0.400

DIE No: 91002

DIE NO. : 91002




Wt. : 0.140 Kg/M

GALCO GROUP

Wt. Range : -0.130

DIE No: 91006

DIE NO. : 91006



Wt. : 0.120 Kg/M


GALCO GROUP

Wt. Range : -0.120

SQUARE TUBE

DIE No: 91001

DIE NO. : 91001




Wt. : 1.020 Kg/M

GALCO GROUP

Wt. Range : -1.020

DIE No: 91005

DIE NO. : 91005




Wt. : 0.170 Kg/M

GALCO GROUP

Wt. Range : -0.170

DIE No: 91007

DIE NO. : 91007



Wt. : 0.130 Kg/M


GALCO GROUP

Wt. Range : -0.130

GEOMETRICAL SHAPES

DIE No: 91008

DIE NO. : 91008




Wt. : 0.800 Kg/M

GALCO GROUP

Wt. Range : -0.800

DIE No: 91015

DIE NO. : 91015




Wt. : 2.330 Kg/M

GALCO GROUP

Wt. Range : -2.330

DIE No: 91018

DIE NO. : 91018



Wt. : 1.200 Kg/M


GALCO GROUP

Wt. Range : -1.200

SQUARE TUBE

DIE No: 91009

DIE NO. : 91009




Wt. : 0.520 Kg/M

GALCO GROUP

Wt. Range : -0.520

DIE No: 91017

DIE NO. : 91017




Wt. : 0.900 Kg/M

GALCO GROUP

Wt. Range : -0.870

DIE No: 91019

DIE NO. : 91019



Wt. : 1.600 Kg/M


GALCO GROUP

Wt. Range : -1.600

GEOMETRICAL SHAPES

DIE No: 91020

DIE NO. : 91020




Wt. : 10.200 Kg/M

GALCO GROUP

Wt. Range : -10.200

DIE No: 91023

DIE NO. : 91023




Wt. : 3.260 Kg/M

GALCO GROUP

Wt. Range : -3.140

DIE No: 91031

DIE NO. : 91031



Wt. : 0.520 Kg/M


GALCO GROUP

Wt. Range : 0.480-0.550

SQUARE TUBE

DIE No: 91022

DIE NO. : 91022




Wt. : 1.440 Kg/M

GALCO GROUP

Wt. Range : -1.440

DIE No: 91026

DIE NO. : 91026




Wt. : 0.700 Kg/M

GALCO GROUP

Wt. Range : 0.670-0.760

DIE No: 91032

DIE NO. : 91032



Wt. : 1.030 Kg/M


GALCO GROUP

Wt. Range : 0.980-1.200

GEOMETRICAL SHAPES

DIE No: 91033

DIE NO. : 91033




Wt. : 0.710 Kg/M

GALCO GROUP

Wt. Range : 0.690-0.770

DIE No: 96589

DIE NO. :96589



Wt. : 1.170 Kg/M


GALCO GROUP

Wt. Range : -1.170

SQUARE TUBE

DIE No: 91035

DIE NO. : 91035



Wt. : 0.460 Kg/M


GALCO GROUP

Wt. Range : 0.440-0.500

GEOMETRICAL SHAPES

DIE No: 91502

DIE NO. : 91502




Wt. : 0.060 Kg/M

GALCO GROUP

Wt. Range : -0.060

DIE No: 91513

DIE NO. : 91513




Wt. : 3.950 Kg/M

GALCO GROUP

Wt. Range : -3.970

DIE No: 91518

DIE NO. : 91518



Wt. : 0.530 Kg/M


GALCO GROUP

Wt. Range : -0.530

U- CHANNEL

DIE No: 91503

DIE NO. : 91503




Wt. : 0.060 Kg/M

GALCO GROUP

Wt. Range : -0.060

DIE No: 91514

DIE NO. : 91514




Wt. : 0.420 Kg/M

GALCO GROUP

Wt. Range : -0.420

DIE No: 91519

DIE NO. : 91519



Wt. : 1.500 Kg/M


GALCO GROUP

Wt. Range : -1.510

GEOMETRICAL SHAPES

DIE No: 91520

DIE NO. : 91520




Wt. : 1.400 Kg/M

GALCO GROUP

Wt. Range : -1.340

DIE No: 91522

DIE NO. : 91522




Wt. : 0.790 Kg/M

GALCO GROUP

Wt. Range : -0.790

DIE No: 91524

DIE NO. : 91524



Wt. : 0.930 Kg/M


GALCO GROUP

Wt. Range : -0.930

U- CHANNEL

DIE No: 91521

DIE NO. : 91521




Wt. : 1.400 Kg/M

GALCO GROUP

Wt. Range : -1.400

DIE No: 91523

DIE NO. : 91523




Wt. : 0.900 Kg/M

GALCO GROUP

Wt. Range : -0.900

DIE No: 91525

DIE NO. : 91525



Wt. : 4.730 Kg/M


GALCO GROUP

Wt. Range : -4.730

GEOMETRICAL SHAPES

DIE No: 91529

DIE NO. : 91529




Wt. : 0.040 Kg/M

GALCO GROUP

Wt. Range : -0.040

DIE No: 91531

DIE NO. : 91531



Wt. : 0.940 Kg/M


GALCO GROUP

Wt. Range : -0.940

U- CHANNEL

DIE No: 91530

DIE NO. : 91530




Wt. : 0.630 Kg/M

GALCO GROUP

Wt. Range : -0.630

DIE No: 91533

DIE NO. : 91533



Wt. : 0.130 Kg/M

GALCO GROUP

Wt. Range : -0.130