


GEOMETRICAL SHAPES

DIE No: 60001

DIE NO. : 60001




Wt. : 1.300 Kg/M

GALCO GROUP

Wt. Range : -1.300

DIE No: 60004

DIE NO. : 60004




Wt. : 21.600 Kg/M

GALCO GROUP

Wt. Range : -21.600

DIE No: 60011

DIE NO. : 60011



Wt. : 0.720 Kg/M


GALCO GROUP

Wt. Range : 0.660-

FLAT BARS

DIE No: 60003

DIE NO. : 60003




Wt. : 13.500 Kg/M

GALCO GROUP

Wt. Range : -13.500

DIE No: 60010

DIE NO. : 60010




Wt. : 0.630 Kg/M

GALCO GROUP

Wt. Range : 0.570-0.670

DIE No: 60012

DIE NO. : 60012



Wt. : 0.450 Kg/M


GALCO GROUP

Wt. Range : 0.420-0.480

GEOMETRICAL SHAPES

DIE No: 60013

DIE NO. : 60013




Wt. : 2.800 Kg/M

GALCO GROUP

Wt. Range : 2.700-2.900

DIE No: 60015

DIE NO. : 60015



Wt. : 5.260 Kg/M

GALCO GROUP

Wt. Range : 5.050-5.460

DIE No: 60018

DIE NO. : 60018



Wt. : 6.750 Kg/M


GALCO GROUP

Wt. Range : 6.480-7.290

FLAT BARS

DIE No: 60014

DIE NO. : 60014




Wt. : 5.840 Kg/M

GALCO GROUP

Wt. Range : 5.600-6.060

DIE No: 60017

DIE NO. : 60017




Wt. : 5.400 Kg/M

GALCO GROUP

Wt. Range : -

DIE No: 60019

DIE NO. : 60019



Wt. : 4.120 Kg/M


GALCO GROUP

Wt. Range : -

GEOMETRICAL SHAPES

DIE No: 60022

DIE NO. : 60022




Wt. : 1.010 Kg/M

GALCO GROUP

Wt. Range : 0.930-1.080

DIE No: 60048

DIE NO. : 60048




Wt. : 0.440 Kg/M

GALCO GROUP

Wt. Range : 0.420-0.470

DIE No: 60051

DIE NO. :60051



Wt. :0.380 Kg/M


GALCO GROUP

Wt. Range : 0.350-0.500

FLAT BARS

DIE No: 60047

DIE NO. : 60047




Wt. : 3.780 Kg/M

GALCO GROUP

Wt. Range : 3.600-4.000

DIE No: 60049

DIE NO. : 60049




Wt. : 0.330 Kg/M

GALCO GROUP

Wt. Range : 0.320-0.360

DIE No: 60052

DIE NO. :60052




Wt. :0.400 Kg/M

GALCO GROUP

Wt. Range : 0.340-0.400


GEOMETRICAL SHAPES

DIE No: 60053




Wt. Range : 0.070-0.090

DIE No: 60056



Wt. Range : 1.000-1.160


DIE No: 60058



Wt. Range : 0.260-0.320


FLAT BARS

DIE No: 60054




Wt. Range : 1.000-1.120

DIE No: 60057



Wt. Range : 0.660-0.700


DIE No: 60059



Wt. Range : 3.950-4.440


GEOMETRICAL SHAPES

DIE No: 60060




Wt. Range : 0.123-0.142

DIE No: 60062



Wt. Range : 0.620-0.700


DIE No: 90506



Wt. Range : -0.200


FLAT BARS

DIE No: 60061




Wt. Range : 0.160-0.185

DIE No: 60063



Wt. Range : 3.050-3.435

DIE No: 90514




Wt. Range : -1.610

GEOMETRICAL SHAPES

DIE No: 90515

DIE NO. : 90515




Wt. : 1.620 Kg/M

GALCO GROUP

Wt. Range : -1.620

DIE No: 90522

DIE NO. : 90522




Wt. : 2.430 Kg/M

GALCO GROUP

Wt. Range : -2.430

DIE No: 90527

DIE NO. : 90527



Wt. : 0.540 Kg/M


GALCO GROUP

Wt. Range : -0.540

FLAT BARS

DIE No: 90516

DIE NO. : 90516




Wt. : 3.020 Kg/M

GALCO GROUP

Wt. Range : -3.020

DIE No: 90524

DIE NO. : 90524




Wt. : 1.300 Kg/M

GALCO GROUP

Wt. Range : -1.300

DIE No: 90528

DIE NO. : 90528



Wt. : 1.080 Kg/M


GALCO GROUP

Wt. Range : -1.080

GEOMETRICAL SHAPES

DIE No: 90529

DIE NO. : 90529




Wt. : 1.350 Kg/M

GALCO GROUP

Wt. Range : -1.350

DIE No: 90531

DIE NO. : 90531




Wt. : 1.940 Kg/M

GALCO GROUP

Wt. Range : -1.940

DIE No: 90533

DIE NO. : 90533



Wt. : 1.600 Kg/M


GALCO GROUP

Wt. Range : -1.600

FLAT BARS

DIE No: 90530

DIE NO. : 90530




Wt. : 0.810 Kg/M

GALCO GROUP

Wt. Range : 0.790-0.850

DIE No: 90532

DIE NO. : 90532




Wt. : 0.970 Kg/M

GALCO GROUP

Wt. Range : -0.970

DIE No: 90535

DIE NO. : 90535



Wt. : 1.210 Kg/M


GALCO GROUP

Wt. Range : -1.210

GEOMETRICAL SHAPES

DIE No: 90536

DIE NO. : 90536




Wt. : 1.990 Kg/M

GALCO GROUP

Wt. Range : -1.990

DIE No: 90538

DIE NO. : 90538




Wt. : 2.680 Kg/M

GALCO GROUP

Wt. Range : -2.680

DIE No: 90540

DIE NO. : 90540



Wt. : 4.900 Kg/M


GALCO GROUP

Wt. Range : -4.900

FLAT BARS

DIE No: 90537

DIE NO. : 90537




Wt. : 2.140 Kg/M

GALCO GROUP

Wt. Range : -2.140

DIE No: 90539

DIE NO. : 90539




Wt. : 3.220 Kg/M

GALCO GROUP

Wt. Range : -3.220

DIE No: 90542

DIE NO. : 90542



Wt. : 2.590 Kg/M


GALCO GROUP

Wt. Range : -2.590

GEOMETRICAL SHAPES

DIE No: 90543

DIE NO. : 90543




Wt. : 4.030 Kg/M

GALCO GROUP

Wt. Range : -4.030

DIE No: 90545

DIE NO. : 90545




Wt. : 4.300 Kg/M

GALCO GROUP

Wt. Range : -4.300

DIE No: 90548

DIE NO. : 90548



Wt. : 0.670 Kg/M


GALCO GROUP

Wt. Range : -0.670

FLAT BARS

DIE No: 90544

DIE NO. : 90544




Wt. : 4.840 Kg/M

GALCO GROUP

Wt. Range : -4.840

DIE No: 90547

DIE NO. : 90547




Wt. : 0.540 Kg/M

GALCO GROUP

Wt. Range : -0.540

DIE No: 90549

DIE NO. : 90549




Wt. : 0.650 Kg/M

GALCO GROUP

Wt. Range : -0.650


GEOMETRICAL SHAPES

DIE No: 90550




Wt. Range : -0.810

DIE No: 90555



Wt. Range : -6.540


DIE No: 90558



Wt. Range : -6.050


FLAT BARS

DIE No: 90554




Wt. Range : -4.300

DIE No: 90556



Wt. Range : -0.990

DIE No: 90559




Wt. Range : -6.460

GEOMETRICAL SHAPES

DIE No: 90560

DIE NO. : 90560




Wt. : 8.190 Kg/M

GALCO GROUP

Wt. Range : -8.190

DIE No: 90562

DIE NO. : 90562




Wt. : 4.860 Kg/M

GALCO GROUP

Wt. Range : -4.860

DIE No: 90565

DIE NO. : 90565



Wt. : 6.470 Kg/M


GALCO GROUP

Wt. Range : -6.470

FLAT BARS

DIE No: 90561

DIE NO. : 90561




Wt. : 1.350 Kg/M

GALCO GROUP

Wt. Range : -0.350

DIE No: 90563

DIE NO. : 90563




Wt. : 1.220 Kg/M

GALCO GROUP

Wt. Range : -1.220

DIE No: 90566

DIE NO. : 90566



Wt. : 5.180 Kg/M


GALCO GROUP

Wt. Range : -5.180

GEOMETRICAL SHAPES

DIE No: 90567

DIE NO. : 90567




Wt. : 0.970 Kg/M

GALCO GROUP

Wt. Range : -0.970

DIE No: 90569

DIE NO. : 90569




Wt. : 5.390 Kg/M

GALCO GROUP

Wt. Range : -5.400

DIE No: 90571

DIE NO. : 90571



Wt. : 0.580 Kg/M


GALCO GROUP

Wt. Range : -0.582

FLAT BARS

DIE No: 90568

DIE NO. : 90568




Wt. : 3.230 Kg/M

GALCO GROUP

Wt. Range : -3.240

DIE No: 90570

DIE NO. : 90570




Wt. : 1.050 Kg/M

GALCO GROUP

Wt. Range : -1.050

DIE No: 90572

DIE NO. : 90572



Wt. : 0.720 Kg/M


GALCO GROUP

Wt. Range : -0.720

GEOMETRICAL SHAPES

DIE No: 90573

DIE NO. : 90573




Wt. : 4.210 Kg/M

GALCO GROUP

Wt. Range : -4.210

DIE No: 90577

DIE NO. : 90577




Wt. : 2.320 Kg/M

GALCO GROUP

Wt. Range : -2.320

DIE No: 90587

DIE NO. : 90587



Wt. : 4.050 Kg/M


GALCO GROUP

Wt. Range : -4.050

FLAT BARS

DIE No: 90576

DIE NO. : 90576




Wt. : 1.470 Kg/M

GALCO GROUP

Wt. Range : -1.470

DIE No: 90578

DIE NO. : 90578




Wt. : 4.000 Kg/M

GALCO GROUP

Wt. Range : -4.000

DIE No: 90588

DIE NO. : 90588




Wt. : 4.030 Kg/M

GALCO GROUP

Wt. Range : -4.030

GEOMETRICAL SHAPES


DIE No: 90589



Wt. Range : -4.660

FLAT BARS

DIE No: 90593



Wt. Range : -0.770