


GEOMETRICAL SHAPES

FLAT BARS



DIE NO.	A A	B B	C	WEIGHT / MTR	CCD
60060	8	6	0	0.123-0.142	
60061	9	7	0	0.160-0.185	
60053	10	3	0	0.070-0.090	
90506	25	3	0	-0.200	
90547	25	8	0	-0.540	
90548	25	10	0	-0.670	
60048	25.4	6.4	0	0.420-0.470	
90549	30	8	0	-0.650	
90550	30	10	0	-0.810	
90567	30	12	0	-0.970	
90563	30	15	0	-1.220	
90576	33	16.5	0	-1.470	
60051	35	4	0	0.350-0.500	
60049	39	3.18	0	0.320-0.360	
90527	40	5	0	-0.540	
90528	40	10	0	-1.080	
60058	42	2.58	0	0.260-0.320	
90540	45	40	0	-4.900	
90570	47	8.3	0	-1.050	
90530	50	6	0	0.790-0.850	
90529	50	10	0	-1.350	
90514	50	12	0	-1.610	
90577	52	16.5	0	-2.320	
60013	52	20	0	2.700-2.900	
90573	52	30	0	-4.210	
60062	60	4	0	0.620-0.700	
90532	60	6	0	-0.970	

GEOMETRICAL SHAPES

FLAT BARS

DIE NO.	A A	B B	C	WEIGHT / MTR	CCD
60001	60	8	0	-1.300	
90533	60	10	0	-1.600	
90531	60	12	0	-1.940	
90560	60.3	50.3	0	-8.190	
90515	63	9.5	0	-1.620	
60012	65	2.58	0	0.420-0.480	
60015	65	30	0	5.050-5.460	
90571	67.5	3.2	0	-0.582	
90516	70	16	0	-3.020	
60052	71	2	0	0.340-0.400	
90535	75	6	0	-1.210	
90536	76.2	9.7	0	-1.990	
60057	77	3.18	0	0.660-0.700	
90524	80	6	0	-1.300	
90537	80	10	0	-2.140	
90554	80	20	0	-4.300	
90587	81	18.5	0	-4.050	
90572	84	3.2	0	-0.720	
90555	85	28.5	0	-6.540	
90593	89.5	3.2	0	-0.770	
60010	90	2.58	0	0.570-0.670	
90578	90	16.5	0	-4.000	
90561	100	5	0	-0.350	
90538	100	10	0	-2.680	
60017	100	20	0	-	
60018	100	25	0	6.480-7.290	
60003	100	50	0	-13.500	
60004	100	80	0	-21.600	
60011	103	2.58	0	0.660-	
90588	103	14.5	0	-4.030	
60014	103	21	0	5.600-6.060	
90556	113	3.33	0	-0.990	
90539	120	10	0	-3.220	
90562	120	15	0	-4.860	
60054	123	3.2	0	1.000-1.120	
60022	125	3	0	0.930-1.080	
60019	127	12	0	-	
60056	128	3.2	0	1.000-1.160	

GEOMETRICAL SHAPES

FLAT BARS

DIE NO.	A A	B B	C	WEIGHT / MTR	CCD
90589	128	13.5	0	-4.660	
60047	140	10	0	3.600-4.000	
90522	150	6	0	-2.430	
90543	150	10	0	-4.030	
90544	150	12	0	-4.840	
90558	150	15	0	-6.050	
90542	152.4	6.4	0	-2.590	
90545	160	10	0	-4.300	
90566	160	12	0	-5.180	
90559	160	15	0	-6.460	
90568	200	6	0	-3.240	
90569	200	10	0	-5.400	
90565	200	12	0	-6.470	
60063	310	3.8	0	3.050-3.435	
60059	310	5	0	3.950-4.440	
80					