



GEOMETRICAL SHAPES

DIE No: 90010




Wt. Range : -0.040

DIE No: 90018



Wt. Range : -0.100


DIE No: 90042



Wt. Range : 0.340-0.380


ROUND TUBE

DIE No: 90013




Wt. Range : 0.090-0.100

DIE No: 90027



Wt. Range : 0.250-0.280

DIE No: 90047




Wt. Range : 0.370-0.430

GEOMETRICAL SHAPES

DIE No: 90056

DIE NO. : 90056




Wt. : 0.560 Kg/M

GALCO GROUP

Wt. Range : -0.560

DIE No: 90071

DIE NO. : 90071




Wt. : 0.850 Kg/M

GALCO GROUP

Wt. Range : -0.850

DIE No: 90083

DIE NO. : 90083



Wt. : 1.740 Kg/M


GALCO GROUP

Wt. Range : -1.760

ROUND TUBE

DIE No: 90066

DIE NO. : 90066




Wt. : 0.830 Kg/M

GALCO GROUP

Wt. Range : 0.770-0.890

DIE No: 90073

DIE NO. : 90073




Wt. : 0.510 Kg/M

GALCO GROUP

Wt. Range : 0.490-0.550

DIE No: 90087

DIE NO. : 90087



Wt. : 3.180 Kg/M


GALCO GROUP

Wt. Range : -3.180

GEOMETRICAL SHAPES

DIE No: 90092

DIE NO. : 90092




Wt. : 0.550 Kg/M

GALCO GROUP

Wt. Range : -0.550

DIE No: 90095

DIE NO. : 90095




Wt. : 2.850 Kg/M

GALCO GROUP

Wt. Range : 2.740-3.080

DIE No: 90098

DIE NO. : 90098



Wt. : 2.880 Kg/M


GALCO GROUP

Wt. Range : 2.770-

ROUND TUBE

DIE No: 90093

DIE NO. : 90093




Wt. : 1.740 Kg/M

GALCO GROUP

Wt. Range : -1.740

DIE No: 90096

DIE NO. : 90096




Wt. : 1.200 Kg/M

GALCO GROUP

Wt. Range : -1.200

DIE No: 90100

DIE NO. : 90100



Wt. : 6.500 Kg/M


GALCO GROUP

Wt. Range : -6.500

GEOMETRICAL SHAPES

DIE No: 90104

DIE NO. : 90104




Wt. : 0.610 Kg/M

GALCO GROUP

Wt. Range : -0.610

DIE No: 90106

DIE NO. : 90106




Wt. : 1.450 Kg/M

GALCO GROUP

Wt. Range : -1.450

DIE No: 90138

DIE NO. : 90138



Wt. : 6.410 Kg/M


GALCO GROUP

Wt. Range : -6.410

ROUND TUBE

DIE No: 90105

DIE NO. : 90105




Wt. : 1.000 Kg/M

GALCO GROUP

Wt. Range : -1.000

DIE No: 90134

DIE NO. : 90134




Wt. : 0.640 Kg/M

GALCO GROUP

Wt. Range : 0.610-0.685

DIE No: 90141

DIE NO. : 90141




Wt. : 0.050 Kg/M

GALCO GROUP

Wt. Range : -0.050


GEOMETRICAL SHAPES

DIE No: 90143




Wt. Range : -4.780

DIE No: 90145



Wt. Range : -6.790


DIE No: 90148



Wt. Range : -1.210


ROUND TUBE

DIE No: 90144




Wt. Range : -1.370

DIE No: 90147



Wt. Range : -1.500

DIE No: 90149




Wt. Range : -3.200

GEOMETRICAL SHAPES

DIE No: 90150

DIE.NO. 90150




Wt 1.325 KG/M

Wt. Range : 1.270-1.430

DIE No: 90152

DIE NO. : 90152




Wt. : 5.730 Kg/M

GALCO GROUP

Wt. Range : -5.730

DIE No: 90154

DIE NO. : 90154



Wt. : 8.540 Kg/M


GALCO GROUP

Wt. Range : -8.540

ROUND TUBE

DIE No: 90151

DIE NO. : 90151




Wt. : 2.000 Kg/M

GALCO GROUP

Wt. Range : -2.000

DIE No: 90153

DIE NO. : 90153




Wt. : 8.480 Kg/M

GALCO GROUP

Wt. Range : -8.480

DIE No: 90155

DIE NO. : 90155




Wt. : 13.800 Kg/M

GALCO GROUP

Wt. Range : -13.800


GEOMETRICAL SHAPES

DIE No: 90156




Wt. Range : -15.900

DIE No: 90158



Wt. Range : -18.030


DIE No: 90160



Wt. Range : -28.200


ROUND TUBE

DIE No: 90157




Wt. Range : -21.360

DIE No: 90159



Wt. Range : -27.830


DIE No: 90161



Wt. Range : -34.000


GEOMETRICAL SHAPES

DIE No: 90163




Wt. Range : 3.000-3.370

DIE No: 90165



Wt. Range : -3.730


DIE No: 90189



Wt. Range : 2.000-2.300


ROUND TUBE

DIE No: 90164




Wt. Range : -0.900

DIE No: 90171



Wt. Range : -2.580


DIE No: 90212



Wt. Range : 0.360-0.400


GEOMETRICAL SHAPES

DIE No: 90213




Wt. Range : 0.600-0.680

DIE No: 90250



Wt. Range : 0.145-0.155

DIE No: 90259




Wt. Range : 1.850-2.080

ROUND TUBE

DIE No: 90249


PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT



PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT


Wt. Range : 0.900-1.030

DIE No: 90256



Wt. Range : 0.380-0.430


DIE No: 90261



Wt. Range : 3.230-3.630


GEOMETRICAL SHAPES

DIE No: 90262




Wt. Range : 2.200-2.470

DIE No: 90270



Wt. Range : 0.470-0.540


DIE No: 90284



Wt. Range : 0.230-0.260


ROUND TUBE

DIE No: 90263




Wt. Range : 0.460-0.520

DIE No: 90273



Wt. Range : 4.520-5.100

DIE No: 91455




Wt. Range : 12.300-12.750

GEOMETRICAL SHAPES

ROUND TUBE

DIE No: 90371



Wt. Range : 4.985-5.610 KG/MTR