


## INDUSTRIAL

DIE No: 94901

DIE NO. : 94901




Wt. : 1.820 Kg/M

GALCO GROUP

Wt. Range : 1.750-1.970

DIE No: 94903

DIE NO. : 94903




Wt. : 1.680 Kg/M

GALCO GROUP

Wt. Range : -1.680

DIE No: 94907

DIE NO. : 94907



Wt. : 2.730 Kg/M


GALCO GROUP

Wt. Range : 2.720-2.800

## FENCING AUTOMATION

DIE No: 94902

DIE NO. : 94902




Wt. : 1.160 Kg/M

GALCO GROUP

Wt. Range : -1.160

DIE No: 94906

DIE NO. : 94906




Wt. : 1.800 Kg/M

GALCO GROUP

Wt. Range : -1.800

DIE No: 94912

DIE NO. : 94912



Wt. : 2.920 Kg/M


GALCO GROUP

Wt. Range : -2.920

## INDUSTRIAL

DIE No: 94913

DIE NO. : 94913




Wt. : 0.880 Kg/M

GALCO GROUP

Wt. Range : -0.880

DIE No: 94919

DIE NO. : 94919




Wt. : 1.440 Kg/M

GALCO GROUP

Wt. Range : -1.440

DIE No: 94922

DIE NO. : 94922



Wt. : 0.520 Kg/M


GALCO GROUP

Wt. Range : -0.520

## FENCING AUTOMATION

DIE No: 94917

DIE NO. : 94917




Wt. : 5.580 Kg/M

GALCO GROUP

Wt. Range : -5.580

DIE No: 94920

DIE NO. : 94920




Wt. : 1.280 Kg/M

GALCO GROUP

Wt. Range : -1.280

DIE No: 94932

DIE NO. : 94932



Wt. : 1.680 Kg/M


GALCO GROUP

Wt. Range : -1.680

## INDUSTRIAL

DIE No: 94933

DIE NO. : 94933




Wt. : 1.510 Kg/M

GAL GROUP

Wt. Range : 1.440-1.620

DIE No: 94935

DIE NO. : 94935




Wt. : 1.600 Kg/M

GALCO GROUP

Wt. Range : -1.600

DIE No: 94937

DIE NO. : 94937



Wt. : 1.600 Kg/M


GALCO GROUP

Wt. Range : -1.600

## FENCING AUTOMATION

DIE No: 94934

DIE NO. : 94934




Wt. : 2.300 Kg/M

GALCO GROUP

Wt. Range : -2.300

DIE No: 94936

DIE NO. : 94936




Wt. : 0.840 Kg/M

GALCO GROUP

Wt. Range : -0.840

DIE No: 94938

DIE NO. : 94938



Wt. : 0.990 Kg/M


GALCO GROUP

Wt. Range : -0.990

## INDUSTRIAL

DIE No: 94940

DIE NO. : 94940




Wt. : 1.260 Kg/M

GALCO GROUP

Wt. Range : -1.260

DIE No: 94942

DIE NO. : 94942




Wt. : 3.100 Kg/M

GALCO GROUP

Wt. Range : -3.100

DIE No: 94945

DIE NO. : 94945



Wt. : 4.580 Kg/M


GALCO GROUP

Wt. Range : -4.580

## FENCING AUTOMATION

DIE No: 94941

DIE NO. : 94941




Wt. : 1.480 Kg/M

GALCO GROUP

Wt. Range : -1.480

DIE No: 94943

DIE NO. : 94943




Wt. : 5.600 Kg/M

GALCO GROUP

Wt. Range : -5.600

DIE No: 94950

DIE NO. : 94950



Wt. : 1.500 Kg/M

GALCO GROUP


Wt. Range : 1.370-1.500



## INDUSTRIAL

DIE No: 94952

DIE NO. : 94952




Wt. : 1.550 Kg/M

GALCO GROUP

Wt. Range : -1.550

DIE No: 94954

DIE NO. : 94954




Wt. : 3.170 Kg/M

GALCO GROUP

Wt. Range : -3.170

DIE No: 94957

DIE NO. : 94957



Wt. : 0.540 Kg/M


GALCO GROUP

Wt. Range : -0.540

## FENCING AUTOMATION

DIE No: 94953

DIE NO. : 94953




Wt. : 2.760 Kg/M

GALCO GROUP

Wt. Range : 2.550-2.700

DIE No: 94955

DIE NO. : 94955




Wt. : 1.570 Kg/M

GALCO GROUP

Wt. Range : -1.570

DIE No: 94960

DIE NO. : 94960



Wt. : 0.500 Kg/M


GALCO GROUP

Wt. Range : -0.500

## INDUSTRIAL

DIE No: 94961

DIE NO. : 94961




Wt. : 1.470 Kg/M

GALCO GROUP

Wt. Range : -1.470

DIE No: 94963

DIE NO. : 94963




Wt. : 4.430 Kg/M

GALCO GROUP

Wt. Range : -4.430

DIE No: 94965

DIE NO. : 94965



Wt. : 3.300 Kg/M


GALCO GROUP

Wt. Range : -3.300

## FENCING AUTOMATION

DIE No: 94962

DIE NO. : 94962




Wt. : 1.660 Kg/M

GALCO GROUP

Wt. Range : -1.660

DIE No: 94964

DIE NO. : 94964




Wt. : 1.470 Kg/M

GALCO GROUP

Wt. Range : -1.470

DIE No: 94966

DIE NO. : 94966



Wt. : 1.380 Kg/M


GALCO GROUP

Wt. Range : -1.380

## INDUSTRIAL

DIE No: 94967

DIE NO. : 94967




Wt. : 2.860 Kg/M

GALCO GROUP

Wt. Range : -2.860

DIE No: 94971

DIE NO. : 94971




Wt. : 0.710 Kg/M

GALCO GROUP

Wt. Range : -0.710

DIE No: 94989

DIE NO. : 94989



Wt. : 1.310 Kg/M


GALCO GROUP

Wt. Range : 1.240-1.400

## FENCING AUTOMATION

DIE No: 94969

DIE NO. : 94969




Wt. : 0.410 Kg/M

GALCO GROUP

Wt. Range : -0.410

DIE No: 94977

DIE NO. : 94977




Wt. : 6.340 Kg/M

GALCO GROUP

Wt. Range : 5.830-6.760

DIE No: 94993

DIE NO. : 94993



Wt. : 1.600 Kg/M


GALCO GROUP

Wt. Range : 1.500-1.750

## INDUSTRIAL

DIE No: 94997

DIE NO. : 94997




Wt. : 2.927 Kg/M

GALCO GROUP

Wt. Range : 2.800-3.100

DIE No: 94999

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT




Wt 0.850 KG/M

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Wt. Range : 0.750-0.850

DIE No: 98004

DIE NO. : 98004



Wt. : 4.840 Kg/M

GALCO GROUP


Wt. Range : 4.700-5.000

## FENCING AUTOMATION

DIE No: 94998

DIE.NO. 94998

GALCO




Wt 5.000 KG/M

Wt. Range : -5.000

DIE No: 95006

DIE.NO.95006




Wt 1.010 KG/M

GALCO

Wt. Range : 0.970-1.100

DIE No: 98100

DIE NO. : 98100



Wt. : 5.770 Kg/M


GALCO GROUP

Wt. Range : 5.540-6.240

## INDUSTRIAL

DIE No: 98518

DIE NO. : 98518




Wt. : 0.570 Kg/M

GALCO GROUP

Wt. Range : 0.520-0.620

DIE No: 94974

DIE NO. : 94974




Wt. : 1.440 Kg/M

GALCO GROUP

Wt. Range : -1.440

DIE No: 98548

DIE.NO. 98548




Wt 0.774 KG/M

Wt. Range : 0.743-0.836 KG/MTR

## FENCING AUTOMATION

DIE No: 98522

DIE NO. : 98522




Wt. : 5.800 Kg/M

GALCO GROUP

Wt. Range : 5.450-6.150

DIE No: 94951

DIE NO. : 94951




Wt. : 0.920 Kg/M

GALCO GROUP

Wt. Range : -0.920

DIE No: 98549

DIE.NO. 98549



Wt 1.000 KG/M

Wt. Range : 1.000-1.131