



TRANSPORT

DIE No: 98027




Wt. Range : 2.840-3.200

DIE No: 98038



Wt. Range : 7.790-8.760


DIE No: 98054



Wt. Range : 6.000-6.750


RADIATOR

DIE No: 98036




Wt. Range : 6.340-7.150

DIE No: 98053



Wt. Range : 6.940-7.800


DIE No: 98055



Wt. Range : 2.340-2.640


TRANSPORT

DIE No: 98058




Wt. Range : 2.780-3.120

DIE No: 98125



Wt. Range : 9.460-10.650


DIE No: 98180



Wt. Range : 2.110-2.370


RADIATOR

DIE No: 98064




Wt. Range : 9.350-10.510

DIE No: 98143



Wt. Range : 1.900-2.140

DIE No: 98198




Wt. Range : -5.850

TRANSPORT

RADIATOR

DIE No: 98371




Wt. Range : 0.150-1.700

TRANSPORT

DIE No: 97216

DIE NO. : 97216




Wt. : 0.550 Kg/M

GALCO GROUP

Wt. Range : -0.550

DIE No: 97236

DIE NO. : 97236




Wt. : 0.780 Kg/M

GALCO GROUP

Wt. Range : -0.780

DIE No: 97273

DIE NO. : 97273



Wt. : 1.410 Kg/M


GALCO GROUP

Wt. Range : -1.410

ROOF CARRIER

DIE No: 97235

DIE NO. : 97235




Wt. : 1.100 Kg/M

GALCO GROUP

Wt. Range : -1.100

DIE No: 97267

DIE NO. : 97267




Wt. : 1.190 Kg/M

GALCO GROUP

Wt. Range : -1.190

DIE No: 97274

DIE NO. : 97274




Wt. : 1.290 Kg/M

GALCO GROUP

Wt. Range : -1.290


TRANSPORT

DIE No: 97281




Wt. Range : -1.380

DIE No: 97296



Wt. Range : -1.410


DIE No: 97348



Wt. Range : -1.490


ROOF CARRIER

DIE No: 97288




Wt. Range : -1.180

DIE No: 97297



Wt. Range : -1.310


DIE No: 97595



Wt. Range : 0.525-0.580


TRANSPORT

DIE No: 97596




Wt. Range : 0.550-0.600

DIE No: 97901



Wt. Range : -0.570


DIE No: 97903



Wt. Range : -0.890


ROOF CARRIER

DIE No: 97900




Wt. Range : -0.690

DIE No: 97902



Wt. Range : -1.430

DIE No: 97904




Wt. Range : -1.810

TRANSPORT

DIE No: 97905

DIE NO. :97905




Wt. : 1.490 Kg/M

GALCO GROUP

Wt. Range : -1.490

DIE No: 97907

DIE NO. : 97907




Wt. : 0.970 Kg/M

GALCO GROUP

Wt. Range : -0.970

DIE No: 97909

DIE NO. : 97909



Wt. : 1.300 Kg/M


GALCO GROUP

Wt. Range : -1.300

ROOF CARRIER

DIE No: 97906

DIE NO. : 97906




Wt. : 1.550 Kg/M

GALCO GROUP

Wt. Range : -1.550

DIE No: 97908

DIE NO. : 97908




Wt. : 0.590 Kg/M

GALCO GROUP

Wt. Range : -0.590

DIE No: 97910

DIE NO. : 97910



Wt. : 1.100 Kg/M


GALCO GROUP

Wt. Range : -1.100

TRANSPORT

DIE No: 97911

DIE NO. : 97911




Wt. : 1.260 Kg/M

GALCO GROUP

Wt. Range : -1.260

DIE No: 97913

DIE NO. : 97913




Wt. : 0.940 Kg/M

GALCO GROUP

Wt. Range : -0.940

DIE No: 97916

DIE NO. : 97916



Wt. : 1.480 Kg/M


GALCO GROUP

Wt. Range : -1.480

ROOF CARRIER

DIE No: 97912

DIE NO. : 97912




Wt. : 0.950 Kg/M

GALCO GROUP

Wt. Range : -0.950

DIE No: 97914

DIE NO. : 97914




Wt. : 0.740 Kg/M

GALCO GROUP

Wt. Range : -0.740

DIE No: 97923

DIE NO. : 97923



Wt. : 0.050 Kg/M

GALCO GROUP


Wt. Range : -0.050

TRANSPORT

ROOF CARRIER

DIE No: 97927

DIE NO. : 97927



Wt. : 1.130 Kg/M


GALCO GROUP

Wt. Range : 1.040-1.210

TRANSPORT

DIE No: 60009

DIE.NO. 60009




Wt 0.058KG/M

Wt. Range : -

DIE No: 97006

DIE NO. : 97006




Wt. : 0.420 Kg/M

GALCO GROUP

Wt. Range : -0.420

DIE No: 97009

DIE NO. : 97009



Wt. : 0.620 Kg/M

GALCO GROUP


Wt. Range : -0.620

TRANSPORT PROFILE

DIE No: 93819

DIE.NO. 93819


GALCO



Wt. Range : 0.750-0.780

DIE No: 97007

DIE NO. : 97007




Wt. : 0.250 Kg/M

GALCO GROUP

Wt. Range : -0.250

DIE No: 97011

DIE NO. : 97011



Wt. : 0.490 Kg/M


GALCO GROUP

Wt. Range : -0.490

TRANSPORT

DIE No: 97012

DIE NO. : 97012




Wt. : 0.600 Kg/M

GALCO GROUP

Wt. Range : -0.600

DIE No: 97014

DIE NO. : 97014




Wt. : 0.640 Kg/M

GALCO GROUP

Wt. Range : -0.640

DIE No: 97022

DIE NO. : 97022



Wt. : 0.620 Kg/M


GALCO GROUP

Wt. Range : -0.620

TRANSPORT PROFILE

DIE No: 97013

DIE NO. : 97013




Wt. : 0.440 Kg/M

GALCO GROUP

Wt. Range : -0.440

DIE No: 97021

DIE NO. : 97021




Wt. : 0.420 Kg/M

GALCO GROUP

Wt. Range : -0.420

DIE No: 97023

DIE NO. : 97023



Wt. : 0.110 Kg/M


GALCO GROUP

Wt. Range : -0.110

TRANSPORT

DIE No: 97029

DIE NO. : 97029




Wt. : 0.450 Kg/M

GALCO GROUP

Wt. Range : 0.400-0.465

DIE No: 97032

DIE NO. : 97032




Wt. : 0.210 Kg/M

GALCO GROUP

Wt. Range : 0.200-0.230

DIE No: 97037

DIE NO. : 97037



Wt. : 0.390 Kg/M


GALCO GROUP

Wt. Range : -0.390

TRANSPORT PROFILE

DIE No: 97030

DIE NO. : 97030




Wt. : 0.200 Kg/M

GALCO GROUP

Wt. Range : -0.200

DIE No: 97033

DIE NO. : 97033




Wt. : 0.180 Kg/M

GALCO GROUP

Wt. Range : -0.180

DIE No: 97039

DIE NO. : 97039



Wt. : 0.410Kg/M


GALCO GROUP

Wt. Range : -0.410

TRANSPORT

DIE No: 97040

DIE NO. : 97040




Wt. : 0.290 Kg/M

GALCO GROUP

Wt. Range : -0.290

DIE No: 97043

DIE NO. : 97043




Wt. : 0.340 Kg/M

GALCO GROUP

Wt. Range : -0.340

DIE No: 97046

DIE NO. : 97046



Wt. : 0.540 Kg/M


GALCO GROUP

Wt. Range : -0.540

TRANSPORT PROFILE

DIE No: 97041

DIE NO. : 97041




Wt. : 0.540 Kg/M

GALCO GROUP

Wt. Range : -0.540

DIE No: 97045

DIE NO. : 97045




Wt. : 0.730 Kg/M

GALCO GROUP

Wt. Range : -0.730

DIE No: 97047

DIE NO. : 97047



Wt. : 0.490Kg/M


GALCO GROUP

Wt. Range : -0.490

TRANSPORT

DIE No: 97049

DIE NO. : 97049




Wt. : 0.710 Kg/M

GALCO GROUP

Wt. Range : -0.710

DIE No: 97053

DIE NO. : 97053




Wt. : 0.310 Kg/M

GALCO GROUP

Wt. Range : -0.310

DIE No: 97059

DIE NO. : 97059



Wt. : 0.930 Kg/M


GALCO GROUP

Wt. Range : -0.930

TRANSPORT PROFILE

DIE No: 97052

DIE NO. : 97052




Wt. : 0.260 Kg/M

GALCO GROUP

Wt. Range : -0.260

DIE No: 97054

DIE NO. : 97054




Wt. : 0.360 Kg/M

GALCO GROUP

Wt. Range : -0.360

DIE No: 97062

DIE NO. : 97062



Wt. : 0.100 Kg/M


GALCO GROUP

Wt. Range : -0.100

TRANSPORT

DIE No: 97065

DIE NO. : 97065




Wt. : 0.180 Kg/M

GALCO GROUP

Wt. Range : -0.180

DIE No: 97079

DIE NO. : 97079




Wt. : 0.840 Kg/M

GALCO GROUP

Wt. Range : -0.840

DIE No: 97082

DIE NO. : 97082



Wt. : 0.410 Kg/M


GALCO GROUP

Wt. Range : -0.410

TRANSPORT PROFILE

DIE No: 97072

DIE NO. : 97072




Wt. : 0.600 Kg/M

GALCO GROUP

Wt. Range : -0.600

DIE No: 97081

DIE NO. : 97081




Wt. : 0.480 Kg/M

GALCO GROUP

Wt. Range : -0.480

DIE No: 97083

DIE NO. : 97083



Wt. : 0.490 Kg/M


GALCO GROUP

Wt. Range : -0.490

TRANSPORT

DIE No: 97084

DIE NO. : 97084




Wt. : 0.600 Kg/M

GALCO GROUP

Wt. Range : -0.600

DIE No: 97087

DIE NO. : 97087




Wt. : 0.490 Kg/M

GALCO GROUP

Wt. Range : -0.490

DIE No: 97089

DIE NO. : 97089



Wt. : 0.360 Kg/M


GALCO GROUP

Wt. Range : -0.360

TRANSPORT PROFILE

DIE No: 97085

DIE NO. : 97085




Wt. : 0.340 Kg/M

GALCO GROUP

Wt. Range : -0.340

DIE No: 97088

DIE NO. : 97088




Wt. : 1.340 Kg/M

GALCO GROUP

Wt. Range : -1.340

DIE No: 97090

DIE NO. : 97090



Wt. : 0.650 Kg/M


GALCO GROUP

Wt. Range : -0.650

TRANSPORT

DIE No: 97091

DIE NO. : 97091




Wt. : 0.770 Kg/M

GALCO GROUP

Wt. Range : -0.770

DIE No: 97095

DIE NO. : 97095




Wt. : 0.560 Kg/M

GALCO GROUP

Wt. Range : -0.560

DIE No: 97102

DIE NO. : 97102



Wt. : 0.800 Kg/M


GALCO GROUP

Wt. Range : -0.800

TRANSPORT PROFILE

DIE No: 97094

DIE NO. : 97094




Wt. : 0.700 Kg/M

GALCO GROUP

Wt. Range : -0.700

DIE No: 97101

DIE NO. : 97101




Wt. : 0.770 Kg/M

GALCO GROUP

Wt. Range : -0.770

DIE No: 97104

DIE NO. : 97104




Wt. : 0.960 Kg/M

GALCO GROUP

Wt. Range : -0.960


TRANSPORT

DIE No: 97107




Wt. Range : -0.770

DIE No: 97109



Wt. Range : -0.250


DIE No: 97115



Wt. Range : -0.790


TRANSPORT PROFILE

DIE No: 97108




Wt. Range : -0.950

DIE No: 97110



Wt. Range : -0.240

DIE No: 97116




Wt. Range : -0.770

TRANSPORT

DIE No: 97117

DIE NO. : 97117




Wt. : 0.960 Kg/M

GALCO GROUP

Wt. Range : -0.960

DIE No: 97121

DIE NO. : 97121




Wt. : 0.650 Kg/M

GALCO GROUP

Wt. Range : 0.620-0.700

DIE No: 97133

DIE NO. : 97133



Wt. : 0.270 Kg/M


GALCO GROUP

Wt. Range : -0.270

TRANSPORT PROFILE

DIE No: 97120

DIE NO. : 97120




Wt. : 0.610 Kg/M

GALCO GROUP

Wt. Range : -0.610

DIE No: 97126

DIE NO. : 97126




Wt. : 0.290 Kg/M

GALCO GROUP

Wt. Range : -0.290

DIE No: 97136

DIE NO. : 97136



Wt. : 1.560 Kg/M


GALCO GROUP

Wt. Range : -1.560

TRANSPORT

DIE No: 97143

DIE NO. : 97143




Wt. : 0.090 Kg/M

GALCO GROUP

Wt. Range : -0.090

DIE No: 97156

DIE NO. : 97156




Wt. : 0.700 Kg/M

GALCO GROUP

Wt. Range : -0.700

DIE No: 97160

DIE NO. : 97160



Wt. : 0.370 Kg/M


GALCO GROUP

Wt. Range : -0.370

TRANSPORT PROFILE

DIE No: 97148

DIE NO. : 97148




Wt. : 0.290 Kg/M

GALCO GROUP

Wt. Range : 0.270-0.310

DIE No: 97157

DIE NO. : 97157




Wt. : 1.020 Kg/M

GALCO GROUP

Wt. Range : -1.020

DIE No: 97161

DIE NO. : 97161




Wt. : 0.700 Kg/M

GALCO GROUP

Wt. Range : -0.700


TRANSPORT

DIE No: 97162




Wt. Range : -0.660

DIE No: 97165



Wt. Range : -0.640


DIE No: 97169



Wt. Range : -0.700


TRANSPORT PROFILE

DIE No: 97163




Wt. Range : -0.710

DIE No: 97167



Wt. Range : -0.380

DIE No: 97170




Wt. Range : -0.770

TRANSPORT

DIE No: 97171

DIE NO. : 97171




Wt. : 0.430 Kg/M

GALCO GROUP

Wt. Range : -0.430

DIE No: 97176

DIE NO. : 97176




Wt. : 0.720 Kg/M

GALCO GROUP

Wt. Range : -0.720

DIE No: 97178

DIE NO. : 97178



Wt. : 0.550 Kg/M


GALCO GROUP

Wt. Range : -0.550

TRANSPORT PROFILE

DIE No: 97175

DIE NO. : 97175




Wt. : 0.660 Kg/M

GALCO GROUP

Wt. Range : -0.660

DIE No: 97177

DIE NO. : 97177




Wt. : 0.630 Kg/M

GALCO GROUP

Wt. Range : -0.630

DIE No: 97179

DIE NO. : 97179



Wt. : 0.320 Kg/M


GALCO GROUP

Wt. Range : -0.320

TRANSPORT

DIE No: 97180

DIE NO. : 97180




Wt. : 0.100 Kg/M

GALCO GROUP

Wt. Range : -0.100

DIE No: 97183

DIE NO. : 97183




Wt. : 1.440 Kg/M

GALCO GROUP

Wt. Range : 1.380-1.610

DIE No: 97203

DIE NO. : 97203



Wt. : 0.630 Kg/M


GALCO GROUP

Wt. Range : 0.580-0.680

TRANSPORT PROFILE

DIE No: 97181

DIE NO. : 97181




Wt. : 0.490 Kg/M

GALCO GROUP

Wt. Range : -0.490

DIE No: 97184

DIE NO. : 97184




Wt. : 0.770 Kg/M

GALCO GROUP

Wt. Range : -0.770

DIE No: 97205

DIE NO. : 97205




Wt. : 0.320 Kg/M

GALCO GROUP

Wt. Range : -0.320


TRANSPORT

DIE No: 97209




Wt. Range : -0.510

DIE No: 97215



Wt. Range : -0.350


DIE No: 97218



Wt. Range : -0.580


TRANSPORT PROFILE

DIE No: 97210




Wt. Range : -0.260

DIE No: 97217



Wt. Range : -0.350


DIE No: 97219



Wt. Range : -0.630


TRANSPORT

DIE No: 97220




Wt. Range : -0.630

DIE No: 97228



Wt. Range : -0.410


DIE No: 97230



Wt. Range : -0.720


TRANSPORT PROFILE

DIE No: 97226




Wt. Range : -0.920

DIE No: 97229



Wt. Range : -0.280

DIE No: 97237




Wt. Range : -0.610

TRANSPORT

DIE No: 97238

DIE NO. : 97238




Wt. : 0.460 Kg/M

GALCO GROUP

Wt. Range : -0.460

DIE No: 97240

DIE NO. : 97240




Wt. : 0.470 Kg/M

GALCO GROUP

Wt. Range : -0.470

DIE No: 97242

DIE NO. : 97242



Wt. : 2.100 Kg/M


GALCO GROUP

Wt. Range : 1.930-2.260

TRANSPORT PROFILE

DIE No: 97239

DIE NO. : 97239




Wt. : 1.270 Kg/M

GALCO GROUP

Wt. Range : 1.165-1.365

DIE No: 97241

DIE NO. : 97241




Wt. : 1.430 Kg/M

GALCO GROUP

Wt. Range : -1.430

DIE No: 97243

DIE NO. : 97243



Wt. : 0.240 Kg/M


GALCO GROUP

Wt. Range : 0.200-0.235

TRANSPORT

DIE No: 97244

DIE NO. : 97244




Wt. : 0.930 Kg/M

GALCO GROUP

Wt. Range : 0.850-1.000

DIE No: 97246

DIE NO. : 97246




Wt. : 1.410 Kg/M

GALCO GROUP

Wt. Range : 1.300-1.520

DIE No: 97249

DIE NO. : 97249



Wt. : 0.160 Kg/M


GALCO GROUP

Wt. Range : 0.150-0.170

TRANSPORT PROFILE

DIE No: 97245

DIE NO. : 97245




Wt. : 0.550 Kg/M

GALCO GROUP

Wt. Range : -0.550

DIE No: 97248

DIE NO. : 97248




Wt. : 0.530 Kg/M

GALCO GROUP

Wt. Range : 0.490-0.570

DIE No: 97250

DIE NO. : 97250



Wt. : 0.110 Kg/M


GALCO GROUP

Wt. Range : -0.110

TRANSPORT

DIE No: 97251

DIE NO. : 97251




Wt. : 0.240 Kg/M

GALCO GROUP

Wt. Range : 0.230-0.270

DIE No: 97253

DIE NO. : 97253




Wt. : 0.480 Kg/M

GALCO GROUP

Wt. Range : 0.460-0.530

DIE No: 97258

DIE NO. : 97258



Wt. : 0.390 Kg/M


GALCO GROUP

Wt. Range : -0.390

TRANSPORT PROFILE

DIE No: 97252

DIE NO. : 97252




Wt. : 0.350 Kg/M

GALCO GROUP

Wt. Range : -0.350

DIE No: 97255

DIE NO. : 97255




Wt. : 0.520 Kg/M

GALCO GROUP

Wt. Range : 0.490-0.580

DIE No: 97259

DIE NO. : 97259



Wt. : 0.480 Kg/M


GALCO GROUP

Wt. Range : -0.480

TRANSPORT

DIE No: 97262

DIE NO. : 97262




Wt. : 0.310 Kg/M

GALCO GROUP

Wt. Range : -0.310

DIE No: 97264

DIE NO. : 97264




Wt. : 0.880 Kg/M

GALCO GROUP

Wt. Range : -0.880

DIE No: 97269

DIE NO. : 97269



Wt. : 0.580 Kg/M


GALCO GROUP

Wt. Range : -0.580

TRANSPORT PROFILE

DIE No: 97263

DIE NO. : 97263




Wt. : 0.160 Kg/M

GALCO GROUP

Wt. Range : -0.160

DIE No: 97265

DIE NO. : 97265




Wt. : 2.510 Kg/M

GALCO GROUP

Wt. Range : -2.510

DIE No: 97270

DIE NO. : 97270



Wt. : 0.530 Kg/M


GALCO GROUP

Wt. Range : -0.530

TRANSPORT

DIE No: 97271

DIE NO. : 97271




Wt. : 0.470 Kg/M

GALCO GROUP

Wt. Range : -0.470

DIE No: 97276

DIE NO. : 97276




Wt. : 1.370 Kg/M

GALCO GROUP

Wt. Range : -1.370

DIE No: 97278

DIE NO. : 97278



Wt. : 3.220 Kg/M


GALCO GROUP

Wt. Range : -3.220

TRANSPORT PROFILE

DIE No: 97272

DIE NO. : 97272




Wt. : 0.410 Kg/M

GALCO GROUP

Wt. Range : -0.410

DIE No: 97277

DIE NO. : 97277




Wt. : 1.750 Kg/M

GALCO GROUP

Wt. Range : -1.750

DIE No: 97279

DIE NO. : 97279




Wt. : 0.510 Kg/M

GALCO GROUP

Wt. Range : -0.510


TRANSPORT

DIE No: 97280




Wt. Range : -0.740

DIE No: 97283



Wt. Range : -0.610


DIE No: 97285



Wt. Range : -0.630


TRANSPORT PROFILE

DIE No: 97282




Wt. Range : -0.720

DIE No: 97284



Wt. Range : -0.540


DIE No: 97286



Wt. Range : 3.600-3.800


TRANSPORT

DIE No: 97289




Wt. Range : -1.200

DIE No: 97291



Wt. Range : -2.390


DIE No: 97302



Wt. Range : -0.690


TRANSPORT PROFILE

DIE No: 97290




Wt. Range : 2.020-2.270

DIE No: 97300



Wt. Range : -0.240

DIE No: 97303




Wt. Range : -0.270

TRANSPORT

DIE No: 97304

DIE NO. : 97304




Wt. : 0.210 Kg/M

GALCO GROUP

Wt. Range : -0.210

DIE No: 97307

DIE NO. : 97307




Wt. : 0.800 Kg/M

GALCO GROUP

Wt. Range : -0.800

DIE No: 97311

DIE NO. : 97311



Wt. : 0.770 Kg/M


GALCO GROUP

Wt. Range : -0.770

TRANSPORT PROFILE

DIE No: 97305

DIE NO. : 97305




Wt. : 0.640 Kg/M

GALCO GROUP

Wt. Range : -0.640

DIE No: 97308

DIE NO. : 97308




Wt. : 0.610 Kg/M

GALCO GROUP

Wt. Range : -0.610

DIE No: 97312

DIE NO. : 97312




Wt. : 0.410 Kg/M

GALCO GROUP

Wt. Range : -0.410


TRANSPORT

DIE No: 97313




Wt. Range : -0.730

DIE No: 97321



Wt. Range : 0.710-0.835


DIE No: 97324



Wt. Range : 0.380-0.440


TRANSPORT PROFILE

DIE No: 97320




Wt. Range : -1.040

DIE No: 97323



Wt. Range : 0.860-1.005

DIE No: 97325




Wt. Range : -0.420

TRANSPORT

DIE No: 97339

DIE NO. : 97339




Wt. : 0.570 Kg/M

GALCO GROUP

Wt. Range : -0.570

DIE No: 97344

DIE NO. : 97344




Wt. : 0.420 Kg/M

GALCO GROUP

Wt. Range : -0.420

DIE No: 97354

DIE NO. : 97354



Wt. : 0.500 Kg/M


GALCO GROUP

Wt. Range : -0.500

TRANSPORT PROFILE

DIE No: 97342

DIE NO. : 97342




Wt. : 0.190 Kg/M

GALCO GROUP

Wt. Range : -0.190

DIE No: 97345

DIE NO. : 97345




Wt. : 0.720 Kg/M

GALCO GROUP

Wt. Range : -0.720

DIE No: 97383

DIE NO. : 97383




Wt. : 0.470 Kg/M

GALCO GROUP

Wt. Range : 0.440-0.510


TRANSPORT

DIE No: 97388




Wt. Range : 2.250-2.450

DIE No: 97418



Wt. Range : 1.530-1.670


DIE No: 97520



Wt. Range : 0.500-0.580


TRANSPORT PROFILE

DIE No: 97417




Wt. Range : 2.300-2.450

DIE No: 97448



Wt. Range : 0.360-0.410


DIE No: 97535



Wt. Range : 0.450-500.000


TRANSPORT

DIE No: 97560




Wt. Range : 0.600-0.700

DIE No: 97597



Wt. Range : 0.740-0.850


DIE No: 97599



Wt. Range : 0.350-0.390

TRANSPORT PROFILE


DIE No: 97572



Wt. Range : 0.330-0.370


DIE No: 97598

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT



Wt. Range : 0.620-0.720


DIE No: 97600



Wt. Range : 0.275-0.319


TRANSPORT

DIE No: 97601




Wt. Range : 1.610-1.775

DIE No: 97611



Wt. Range : 0.400-0.468


DIE No: 97614



Wt. Range : 0.620-0.700 KG/MTR


TRANSPORT PROFILE

DIE No: 97605



Wt. Range : 0.457-0.520

DIE No: 98014



Wt. Range : 0.200-0.250