


SUPER PROFILES

DIE No: 96258

DIE NO. : 96258




Wt. : 0.480 Kg/M

GALCO GROUP

Wt. Range : 0.430-0.520

DIE No: 96260

DIE NO. : 96260




Wt. : 0.720 Kg/M

GALCO GROUP

Wt. Range : 0.690-

DIE No: 96262

DIE NO. : 96262



Wt. : 0.650 Kg/M

GALCO GROUP

Wt. Range : 0.620-0.700

24MM WINDOW SECTION

DIE No: 96259

DIE NO. : 96259




Wt. : 0.740 Kg/M

GALCO GROUP

Wt. Range : -0.740

DIE No: 96261

DIE NO. : 96261




Wt. : 0.800 Kg/M

GALCO GROUP

Wt. Range : 0.760-0.860

DIE No: 96265

DIE NO. : 96265




Wt. : 0.540 Kg/M

GALCO GROUP

Wt. Range : 0.520-0.580


SUPER PROFILES

DIE No: 96266




Wt. Range : 0.530-0.590

DIE No: 96268



Wt. Range : 0.870-0.980


DIE No: 96270



Wt. Range : 0.450-0.510


24MM WINDOW SECTION

DIE No: 96267




Wt. Range : 0.630-0.710

DIE No: 96269



Wt. Range : 1.030-1.150

DIE No: 96271




Wt. Range : 0.680-0.770

SUPER PROFILES

DIE No: 96272

DIE NO. : 96272




Wt. : 0.480 Kg/M

GALCO GROUP

Wt. Range : 0.460-0.510

DIE No: 96274

DIE NO. : 96274




Wt. : 0.640 Kg/M

GALCO GROUP

Wt. Range : 0.620-0.690

DIE No: 96276

DIE NO. : 96276



Wt. : 0.310 Kg/M


GALCO GROUP

Wt. Range : 0.290-0.330

24MM WINDOW SECTION

DIE No: 96273

DIE NO. : 96273




Wt. : 0.660 Kg/M

GALCO GROUP

Wt. Range : 0.600-0.680

DIE No: 96275

DIE NO. : 96275




Wt. : 0.390 Kg/M

GALCO GROUP

Wt. Range : 0.390-0.420

DIE No: 96277

DIE NO. : 96277




Wt. : 0.750 Kg/M

GALCO GROUP

Wt. Range : 0.720-1.080


SUPER PROFILES

DIE No: 96278



Wt. Range : 0.700-0.760


DIE No: 96284



Wt. Range : 1.340-1.510


24MM WINDOW SECTION

DIE No: 96282



Wt. Range : -0.540

DIE No: 96285



Wt. Range : 1.560-1.760