



SUPER PROFILES

DIE No: 87001




Wt. Range : -0.930

DIE No: 87003



Wt. Range : -2.910


DIE No: 87005



Wt. Range : -1.800


DOORS AND WINDOWS SECTION

DIE No: 87002




Wt. Range : -0.320

DIE No: 87004



Wt. Range : -2.520

DIE No: 87007




Wt. Range : -0.700

SUPER PROFILES

DIE No: 87008

DIE NO. : 87008




Wt. : 0.820 Kg/M

GALCO GROUP

Wt. Range : -0.820

DIE No: 87010

DIE NO. : 87010




Wt. : 1.340 Kg/M

GALCO GROUP

Wt. Range : -1.340

DIE No: 87012

DIE NO. : 87012



Wt. : 0.990 Kg/M


GALCO GROUP

Wt. Range : -0.990

DOORS AND WINDOWS SECTION

DIE No: 87009

DIE NO. : 87009




Wt. : 0.860 Kg/M

GALCO GROUP

Wt. Range : -0.860

DIE No: 87011

DIE NO. : 87011




Wt. : 0.800 Kg/M

GALCO GROUP

Wt. Range : -0.800

DIE No: 87013

DIE NO. : 87013




Wt. : 0.980 Kg/M

GALCO GROUP

Wt. Range : -0.980


SUPER PROFILES

DIE No: 87014




Wt. Range : -1.050

DIE No: 87016



Wt. Range : -0.790


DIE No: 87019



Wt. Range : -0.760


DOORS AND WINDOWS SECTION

DIE No: 87015




Wt. Range : -1.160

DIE No: 87017



Wt. Range : -0.940


DIE No: 87020



Wt. Range : -0.760


SUPER PROFILES

DIE No: 87021




Wt. Range : -0.620

DIE No: 87024



Wt. Range : -0.300


DIE No: 87030



Wt. Range : -1.850


DOORS AND WINDOWS SECTION

DIE No: 87023




Wt. Range : -0.240

DIE No: 87029



Wt. Range : -1.750


DIE No: 87061



Wt. Range : -2.220


SUPER PROFILES

DIE No: 87062




Wt. Range : -2.100

DIE No: 87067



Wt. Range : -2.000


DIE No: 87070



Wt. Range : -2.300


DOORS AND WINDOWS SECTION

DIE No: 87064




Wt. Range : -0.190

DIE No: 87069



Wt. Range : -2.340


DIE No: 87073



Wt. Range : -0.850


SUPER PROFILES

DIE No: 87074




Wt. Range : -2.780

DIE No: 87076



Wt. Range : -2.800


DIE No: 87078



Wt. Range : -2.160


DOORS AND WINDOWS SECTION

DIE No: 87075




Wt. Range : -2.700

DIE No: 87077



Wt. Range : -2.550


DIE No: 87080



Wt. Range : -2.450


SUPER PROFILES

DIE No: 87081




Wt. Range : -2.800

DIE No: 87090



Wt. Range : -2.140


DIE No: 87092



Wt. Range : -0.810


DOORS AND WINDOWS SECTION

DIE No: 87089




Wt. Range : -1.750

DIE No: 87091



Wt. Range : -2.260

DIE No: 87093




Wt. Range : -0.820

SUPER PROFILES

DIE No: 87096

DIE NO. : 87096




Wt. : 1.190 Kg/M

GALCO GROUP

Wt. Range : 1.100-1.270

DIE No: 87098

DIE NO. : 87098




Wt. : 1.560 Kg/M

GALCO GROUP

Wt. Range : 1.430-1.660

DIE No: 87103

DIE NO. : 87103



Wt. : 1.130 Kg/M


GALCO GROUP

Wt. Range : 1.040-1.210

DOORS AND WINDOWS SECTION

DIE No: 87097

DIE NO. : 87097




Wt. : 1.210 Kg/M

GALCO GROUP

Wt. Range : 1.120-1.300

DIE No: 87099

DIE NO. : 87099




Wt. : 1.530 Kg/M

GALCO GROUP

Wt. Range : 1.410-1.630

DIE No: 87105

DIE NO. : 87105



Wt. : 0.630 Kg/M


GALCO GROUP

Wt. Range : 0.580-0.670

SUPER PROFILES

DIE No: 87109

DIE NO. : 87109




Wt. : 0.180 Kg/M

GALCO GROUP

Wt. Range : 0.170-0.200

DIE No: 87135

DIE NO. : 87135




Wt. : 0.820 Kg/M

GALCO GROUP

Wt. Range : 0.750-0.870

DIE No: 87138

DIE NO. : 87138



Wt. : 0.960 Kg/M


GALCO GROUP

Wt. Range : 0.890-1.030

DOORS AND WINDOWS SECTION

DIE No: 87131

DIE NO. : 87131




Wt. : 1.380 Kg/M

GALCO GROUP

Wt. Range : 1.270-

DIE No: 87136

DIE NO. : 87136




Wt. : 0.740 Kg/M

GALCO GROUP

Wt. Range : 0.680-0.800

DIE No: 87139

DIE NO. : 87139



Wt. : 0.250 Kg/M


GALCO GROUP

Wt. Range : 0.230-0.260

SUPER PROFILES

DIE No: 87140

DIE NO. : 87140




Wt. : 0.130 Kg/M

GALCO GROUP

Wt. Range : 0.120-0.140

DIE No: 87142

DIE NO. : 87142




Wt. : 0.870 Kg/M

GALCO GROUP

Wt. Range : 0.800-0.930

DIE No: 87155

DIE NO. : 87155



Wt. : 0.540 Kg/M


GALCO GROUP

Wt. Range : 0.520-0.600

DOORS AND WINDOWS SECTION

DIE No: 87141

DIE NO. : 87141




Wt. : 0.550 Kg/M

GALCO GROUP

Wt. Range : 0.510-0.590

DIE No: 87154

DIE NO. : 87154




Wt. : 0.850 Kg/M

GALCO GROUP

Wt. Range : 0.820-0.950

DIE No: 87156

DIE NO. : 87156



Wt. : 0.660 Kg/M


GALCO GROUP

Wt. Range : 0.630-0.700

SUPER PROFILES

DIE No: 87157

DIE NO. : 87157




Wt. : 1.030 Kg/M

GALCO GROUP

Wt. Range : 0.980-1.110

DIE No: 87163

DIE NO. : 87163




Wt. : 1.130 Kg/M

GALCO GROUP

Wt. Range : 1.100-1.220

DIE No: 87166

DIE NO. : 87166



Wt. : 0.260 Kg/M


GALCO GROUP

Wt. Range : 0.250-0.280

DOORS AND WINDOWS SECTION

DIE No: 87161

DIE NO. : 87161




Wt. : 0.240 Kg/M

GALCO GROUP

Wt. Range : 0.230-0.260

DIE No: 87164

DIE NO. : 87164




Wt. : 0.810 Kg/M

GALCO GROUP

Wt. Range : 0.780-0.900

DIE No: 87167

DIE NO. : 87167




Wt. : 0.170 Kg/M

GALCO GROUP

Wt. Range : 0.320-0.400


SUPER PROFILES

DIE No: 87230




Wt. Range : 0.250-0.280

DIE No: 91400



Wt. Range : -0.300


DIE No: 96411



Wt. Range : -4.600


DOORS AND WINDOWS SECTION

DIE No: 87231




Wt. Range : 0.780-0.890

DIE No: 96403



Wt. Range : -0.810

DIE No: 96808



Wt. Range : 1.160-1.310