


SUPER PROFILES

DIE No: 96008

DIE NO. : 96008




Wt. : 0.470 Kg/M

GALCO GROUP

Wt. Range : -0.470

DIE No: 96010

DIE NO. : 96010




Wt. : 0.650 Kg/M

GALCO GROUP

Wt. Range : -0.650

DIE No: 96028

DIE NO. : 96028



Wt. : 0.720 Kg/M


GALCO GROUP

Wt. Range : -0.720

DUMAL CASEMENT WINDOW SECTION

DIE No: 96009

DIE NO. : 96009




Wt. : 0.650 Kg/M

GALCO GROUP

Wt. Range : -0.650

DIE No: 96011

DIE NO. : 96011




Wt. : 1.030 Kg/M

GALCO GROUP

Wt. Range : -1.030

DIE No: 96029

DIE NO. : 96029



Wt. : 0.810 Kg/M


GALCO GROUP

Wt. Range : -0.810

SUPER PROFILES

DIE No: 96030

DIE NO. : 96030




Wt. : 0.700 Kg/M

GALCO GROUP

Wt. Range : -0.700

DIE No: 96032

DIE NO. : 96032




Wt. : 0.220 Kg/M

GALCO GROUP

Wt. Range : -0.220

DIE No: 96038

DIE NO. : 96038



Wt. : 1.140 Kg/M


GALCO GROUP

Wt. Range : -1.140

DUMAL CASEMENT WINDOW SECTION

DIE No: 96031

DIE NO. : 96031




Wt. : 0.340 Kg/M

GALCO GROUP

Wt. Range : -0.340

DIE No: 96034

DIE NO. : 96034




Wt. : 0.580 Kg/M

GALCO GROUP

Wt. Range : -0.580

DIE No: 96044

DIE NO. : 96044



Wt. : 0.270 Kg/M


GALCO GROUP

Wt. Range : -0.250

SUPER PROFILES

DIE No: 96046

DIE NO. : 96046




Wt. : 1.180 Kg/M

GALCO GROUP

Wt. Range : 1.100-1.270

DIE No: 96048

DIE NO. : 96048




Wt. : 0.940 Kg/M

GALCO GROUP

Wt. Range : -0.940

DIE No: 96052

DIE NO. : 96052



Wt. : 0.760 Kg/M


GALCO GROUP

Wt. Range : -0.760

DUMAL CASEMENT WINDOW SECTION

DIE No: 96047

DIE NO. : 96047




Wt. : 0.940 Kg/M

GALCO GROUP

Wt. Range : -0.890

DIE No: 96049

DIE NO. : 96049




Wt. : 0.950 Kg/M

GALCO GROUP

Wt. Range : -0.900

DIE No: 96053

DIE NO. : 96053



Wt. : 0.920 Kg/M


GALCO GROUP

Wt. Range : -0.920

SUPER PROFILES

DIE No: 96060

DIE NO. : 96060




Wt. : 1.460 Kg/M

GALCO GROUP

Wt. Range : -1.460

DIE No: 96068

DIE NO. : 96068




Wt. : 0.600 Kg/M

GALCO GROUP

Wt. Range : -0.600

DIE No: 96071

DIE NO. : 96071



Wt. : 1.730 Kg/M


GALCO GROUP

Wt. Range : -1.730

DUMAL CASEMENT WINDOW SECTION

DIE No: 96061

DIE NO. : 96061




Wt. : 1.230 Kg/M

GALCO GROUP

Wt. Range : -1.230

DIE No: 96070

DIE NO. : 96070




Wt. : 0.970 Kg/M

GALCO GROUP

Wt. Range : -0.970

DIE No: 96073

DIE NO. : 96073




Wt. : 1.240 Kg/M

GALCO GROUP

Wt. Range : -1.240


SUPER PROFILES

DIE No: 96089




Wt. Range : -2.280

DIE No: 96104



Wt. Range : -2.000


DIE No: 96110



Wt. Range : -0.810


DUMAL CASEMENT WINDOW SECTION

DIE No: 96091




Wt. Range : -0.320

DIE No: 96105



Wt. Range : -0.440


DIE No: 96117



Wt. Range : 0.810-0.930


SUPER PROFILES

DIE No: 96118



Wt. Range : 0.880-1.000


DIE No: 96120



Wt. Range : 1.130-1.285

DUMAL CASEMENT WINDOW SECTION

DIE No: 96119



Wt. Range : 0.750-0.850